

# The `asymptote` package

John Bowman, Tom Prince, and Will Robertson

2010/09/30     v1.22

## Abstract

This package provides integration of inline and external Asymptote graphics within a  $\text{\LaTeX}$  document.

## Contents

### 1 Introduction

This is the documentation for the  $\text{\LaTeX}$  package `asymptote` which accompanies the Asymptote drawing package. For further details on Asymptote, please see its documentation in `asymptote.pdf`.

### 2 User syntax

#### 2.1 Package loading and options

The package may take two options at load time: `inline` or `attach`. These options can also be set at any time with the `\asysetup{<options>}` command, or specified individually in the optional argument to each `asy` environment or `asyinclude` command.

The `inline` option uses Asymptote's 'inline' mode whereby included graphics have their labels typeset in the environment of the document they are contained within. Otherwise the Asymptote graphics are self-contained and their formatting is independent of the document.

The `attach` option allows generated graphics to be embedded within the PDF using the `attachfile2` package; please load that package separately if you wish to use it. The `attach` option takes precedence over the `inline` option.

This package produces quite a number of output files, which by default are created in the same directory as the  $\text{\LaTeX}$  document that is being compiled. To keep things more tidy, you can specify an output directory for these files by defining the `\asydir` command. For example, if you wish to store the figure files in the subdirectory `asytmp/`, then you would write `\renewcommand\asydir{asytmp}`.

Alternatively (and tentatively), you may write `dir=asytmp` in either the `asy` environment options or the options to `\asysetup`.

## 2.2 Commands for inserting Asymptote graphics

The main environment defined by the package is the `asy` environment, in which verbatim Asymptote code is placed that will be compiled for generating a graphic in the document. For example,

```
\begin{figure}
\begin{asy}[ <options> ]
<ASYMPTOTE CODE>
\end{asy}
\caption{...}\label{...}
```

If you have Asymptote code in a separate file, you can include it with the `\asyinclude[<options>]{<filename>}` command.

For Asymptote code that should be included in *every* graphic, define it using the `asydef` environment.

## 2.3 Graphics options

Both the `asy` environment and the `\asyinclude` command take optional parameters for controlling aspects of the graphics creation. In addition to locally setting `inline` and `attach`, the following options may also be used:

**height** Height of the figure

**width** Width of the figure

**viewportheight** Viewport height for 3D figures

**viewportwidth** Viewport width for 3D figures

These may also be set globally using the `\asysetup` command.

## 3 Processing the document

After running `LATEX` on the document, it is necessary to process the Asymptote graphics so they can be included in the next compilation. The simplest procedure is a recipe such as

```
pdflatex mydoc
asy mydoc-*.asy
pdflatex mydoc
```

This technique will recompile each graphic every time, however. To only recompile graphics that have changed, use the `latexmk` tool. Asymptote is distributed with a `latexmkrc` configuration file; place this file in a place where `latexmk` will find it and your document may be compiled, including the `asy` compilations, with `latexmk mydoc` or `latexmk --pdf mydoc`.

## 4 Implementation

```
1 \def\Asymptote{\tt Asymptote}}
2 \InputIfFileExists{\jobname.pre}{-}{-}
```

### 4.1 Allocations

#### Allocations

```
3 \newbox\ASYbox
4 \newcounter{asy}
5 \newwrite\AsyStream
6 \newwrite\AsyPreStream
7 \newif\ifASYinline
8 \newif\ifASYattach
```

### 4.2 Packages

```
9 \RequirePackage{keyval}
10 \RequirePackage{ifthen}
11 \RequirePackage{color,graphicx}
```

**Emulating packages** We cannot assume that Asymptote users have recent T<sub>E</sub>X distributions. (E.g., Fedora until recently still shipped t<sub>E</sub>X.) So load ifpdf and ifxetex if they exist; otherwise, emulate them.

In due course, delete this code and just load the packages.

```
12 \IfFileExists{ifpdf.sty}{
13   \RequirePackage{ifpdf}
14 }{
15   \expandafter\newif\csname ifpdf\endcsname
16   \ifx\pdfoutput\@undefined\else
17     \ifcase\pdfoutput\else
18       \pdftrue
19     \fi
20   \fi
21 }
22 \IfFileExists{ifxetex.sty}{
23   \RequirePackage{ifxetex}
24 }{
25   \expandafter\newif\csname ifxetex\endcsname
26   \ifx\XeTeXversion\@undefined\else
27     \xetextrue
28   \fi
29 }
```

\CatchFileDef Used for \asyinclude.

```
30 \IfFileExists{catchfile.sty}{
31   \RequirePackage{catchfile}
32 }
```

```

33 \newcommand\CatchFileDef[3]{%
34   \begingroup
35   \everyeof{%
36     \ENDCATCHFILEMARKER
37     \noexpand
38   }%
39   \long\def\@tempa##1\ENDCATCHFILEMARKER{%
40     \endgroup
41     \def#1{##1}%
42   }%
43   #3%
44   \expandafter\@tempa\@input #2\relax
45 }
46 }

```

### Ensuring attachfile2 is loaded if [attach] is requested

```

47 \newif\if@asy@attachfile@loaded
48 \AtBeginDocument{%
49   \@ifpackageloaded{attachfile2}{\@asy@attachfile@loadedtrue}{}%
50   \let\asy@check@attachfile\asy@check@attachfile@loaded
51 }
52 \newcommand\asy@check@attachfile@loaded{%
53   \if@asy@attachfile@loaded\else
54     \PackageError{asymptote}{You must load the attachfile2 package}{^^J%
55       You have requested the [attach] option for some or all of your^^J%
56       Asymptote graphics, which requires the attachfile2 package.^^J%
57       Please load it in the document preamble.^^J%
58     }%
59   \fi
60 }
61 \newcommand\asy@check@attachfile{%
62   \AtBeginDocument{\asy@check@attachfile@loaded}%
63   \let\asy@check@attachfile\@empty
64 }

```

### Macros

```

65 \def\csarg#1#2{\expandafter#1\csname#2\endcsname}

```

## 4.3 Package options

```

66 \DeclareOption{inline}{%
67   \ASYinlinetrue
68 }
69 \DeclareOption{attach}{%
70   \asy@check@attachfile
71   \ASYattachtrue
72 }

```

```

73 \ProcessOptions*
74 \def\asydir{}
75 \def\ASYprefix{}

```

## 4.4 Testing for PDF output

Note this is not quite the same as `\ifpdf`, since we still want PDF output when using XeTeX.

```

76 \newif\ifASYPDF
77 \ifxetex
78   \ASYPDFtrue
79 \else
80   \ifpdf
81     \ASYPDFtrue
82   \fi
83 \fi
84 \ifASYPDF
85   \def\AsyExtension{pdf}
86 \else
87   \def\AsyExtension{eps}
88 \fi

```

## 4.5 Bug squashing

```

89 \def\unquoteJobname#1"#2"#3\relax{%
90   \def\rawJobname{#1}%
91   \ifx\rawJobname\empty
92     \def\rawJobname{#2}%
93   \fi
94 }
95 \expandafter\unquoteJobname\jobname""\relax

```

Work around jobname bug in MiKTeX 2.5 and 2.6: Turn stars in file names (resulting from spaces, etc.) into minus signs

```

96 \def\fixstar#1*#2\relax{%
97   \def\argtwo{#2}%
98   \ifx\argtwo\empty
99     \gdef\Jobname{#1}%
100   \else
101     \fixstar#1-#2\relax
102   \fi
103 }
104 \expandafter\fixstar\rawJobname*\relax

```

Work around bug in dvips.def: allow spaces in file names.

```

105 \def\Ginclude@eps#1{%
106   \message{<#1>}%
107   \bgroup
108   \def\@tempa{!}%
109   \dimen@\Gin@req@width
110   \dimen@ii.1bp\relax

```

```

111 \divide\dimen@\dimen@ii
112 \@tempdima\Gin@req@height
113 \divide\@tempdima\dimen@ii
114 \special{PSfile=#1\space
115 llx=\Gin@llx\space
116 lly=\Gin@lly\space
117 urx=\Gin@urx\space
118 ury=\Gin@ury\space
119 \ifx\Gin@scalex\@tempa\else rwi=\number\dimen@\space\fi
120 \ifx\Gin@scaley\@tempa\else rhi=\number\@tempdima\space\fi
121 \ifGin@clip clip\fi}%
122 \egroup
123 }

```

## 4.6 Input/Output

```

124 \immediate\openout\AsyPreStream=\jobname.pre\relax
125 \AtEndDocument{\immediate\closeout\AsyPreStream}

126 \def\WriteAsyLine#1{%
127 \immediate\write\AsyStream{\detokenize{#1}}%
128 }

129 \def\globalASYdefs{
130 \def\WriteGlobalAsyLine#1{%
131 \expandafter\g@addto@macro
132 \expandafter\globalASYdefs
133 \expandafter{\detokenize{#1^^J}}%
134 }

```

## 4.7 Commands for verbatim processing environments

```

135 \def\ProcessAsymptote#1{%
136 \begingroup
137 \def\CurrentAsymptote{#1}%
138 \let\do\@makeother \dospecials
139 \@makeother\^^L and whatever other special cases
140 \endlinechar'\^^M \catcode'\^^M=12 \xAsymptote
141 }

```

Need lots of comment chars here because *line end* is no longer a space character.

```

142 \begingroup
143 \catcode'\^^M=12 \endlinechar=-1\relax%
144 \gdef\xAsymptote{%
145 \expandafter\ProcessAsymptoteLine%
146 }
147 \gdef\ProcessAsymptoteLine#1^^M{%
148 \def\@tempa{#1}%
149 {%
150 \escapechar=-1\relax%
151 \xdef\@tempb{\string\end\string\{\CurrentAsymptote\string\}}%
152 }%
153 \ifx\@tempa\@tempb%

```

```

154     \edef\next{\endgroup\noexpand\end{\CurrentAsymptote}}%
155     \else%
156         \ThisAsymptote{#1}%
157         \let\next\ProcessAsymptoteLine%
158     \fi%
159     \next%
160 }
161 \endgroup

```

## 4.8 User interface

```

162 \newcommand\asy[1] [] {%
163     \stepcounter{asy}%
164     \setkeys{ASYkeys}{#1}%

```

Disable the "inline" option if "attach" is enabled:

```

165     \ifASYattach
166         \ASYinlinefalse
167     \fi
168     \ifx\asydir\empty\else
169         \def\ASYprefix{\asydir/}%
170     \fi
171     \immediate\write\AsyPreStream{%
172         \noexpand\InputIfFileExists{%
173             \ASYprefix\noexpand\jobname-\the\c@asy.pre}{\}{\}%
174     }
175     \asy@write@graphic@header
176     \let\ThisAsymptote\WriteAsyLine
177     \ProcessAsymptote{asy}%
178 }

179 \def\endasy{%
180     \asy@finalise@stream
181     \asy@input@graphic
182 }

183 \def\asy@write@graphic@header{%
184     \immediate\openout\AsyStream=\ASYprefix\jobname-\the\c@asy.asy\relax
185     \gdef\AsyFile{\ASYprefix\Jobname-\the\c@asy}%
186     \immediate\write\AsyStream{%
187         if(!settings.multipleView) settings.batchView=false;^^J%
188         \ifxetex
189             settings.tex="xelatex";^^J%
190         \else\ifASYPDF
191             settings.tex="pdflatex";^^J%
192         \fi\fi
193         \ifASYinline
194             settings.inlinetex=true;^^J%
195             deletetopreamble();^^J%
196         \fi
197         defaultfilename="\Jobname-\the\c@asy";^^J%
198         if(settings.render < 0) settings.render=4;^^J%

```

```

199 settings.outformat="";^^J%
200 \ifASYattach
201 settings.inlineimage=false;^^J%
202 settings.embed=false;^^J%
203 settings.toolbar=true;^^J%
204 \else
205 settings.inlineimage=true;^^J%
206 settings.embed=true;^^J%
207 settings.toolbar=false;^^J%
208 viewportmargin=(2,2);^^J%
209 \fi
210 \globalASYdefs
211 }%
212 }

```

```

213 \def\asy@finalise@stream{%

```

Setting `size()`. Only inserted if one of the dimensions is set explicitly (i.e., if both height and width are not empty).

```

214 \ifx\ASYwidth\@empty
215 \ifx\ASYheight\@empty
216 % write nothing!
217 \else
218 \immediate\write\AsyStream{size(0,\ASYheight);}%
219 \fi
220 \else
221 \ifx\ASYheight\@empty
222 \immediate\write\AsyStream{size(\ASYwidth,0);}%
223 \else
224 \immediate\write\AsyStream{size(\ASYwidth,\ASYheight);}%
225 \fi
226 \fi

```

Setting `viewportsize()`. Same logic as for `size()`. Note that `\ASYviewportwidth` varies according to `\ASYattach`, by default, so it needs to be fully expanded before checking if it equals zero.

```

227 \edef\ASYviewportwidth{\ASYviewportwidth}% locally "freeze" viewportwidth
228 \ifx\ASYviewportwidth\@empty
229 \ifx\ASYviewportheight\@empty
230 % write nothing!
231 \else
232 \immediate\write\AsyStream{viewportsize=(0,\ASYviewportheight);}%
233 \fi
234 \else
235 \ifx\ASYviewportheight\@empty
236 \immediate\write\AsyStream{viewportsize=(\ASYviewportwidth,0);}%
237 \else
238 \immediate\write\AsyStream{%
239 viewportsize=(\ASYviewportwidth,\ASYviewportheight);}%
240 \fi
241 \fi

```



```

242 \immediate\closeout\AsyStream
243 }
244 \def\asy@input@graphic{%
245   \ifASYinline
246     \IfFileExists{"\AsyFile.tex"}{%
247       \catcode'::=12\relax
248       \@input"\AsyFile.tex"\relax
249     }{%
250       \PackageWarning{asymptote}{file '\AsyFile.tex' not found}%
251     }%
252   \else
253     \IfFileExists{"\AsyFile.\AsyExtension"}{%
254       \ifASYattach
255         \ifASYPDF
256           \IfFileExists{"\AsyFile+0.pdf"}{%
257             \setbox\ASYbox=\hbox{\includegraphics[hiresbb]{"\AsyFile+0".pdf}}%
258           }{%
259             \setbox\ASYbox=\hbox{\includegraphics[hiresbb]{"\AsyFile".pdf}}%
260           }%
261         \else
262           \setbox\ASYbox=\hbox{\includegraphics[hiresbb]{"\AsyFile.eps"}}%
263         \fi
264         \textattachfile{\AsyFile.\AsyExtension}{\phantom{\copy\ASYbox}}%
265         \vskip-\ht\ASYbox
266         \indent
267         \box\ASYbox
268       \else
269         \ifASYPDF
270           \includegraphics[hiresbb]{"\AsyFile".pdf}%
271         \else
272           \includegraphics[hiresbb]{"\AsyFile.eps"}%
273         \fi
274       \fi
275     }{%
276       \IfFileExists{"\AsyFile.tex"}{%
277         \catcode'::=12
278         \@input"\AsyFile.tex"\relax
279       }{%
280         \PackageWarning{asymptote}{%
281           file '\AsyFile.\AsyExtension' not found%
282         }%
283       }%
284     }%
285   \fi
286 }
287 \def\asydef{%
288   \let\ThisAsymptote\WriteGlobalAsyLine
289   \ProcessAsymptote{asydef}%

```

```

290 }

291 \newcommand\asyinclude[2][]{\%
292   \begingroup
293   \stepcounter{asy}%
294   \setkeys{ASYkeys}{#1}%
295   \ifASYattach
296     \ASYinlinefalse
297   \fi
298   \ifx\asydir\empty\else
299     \def\ASYprefix{\asydir/}%
300   \fi
301   \immediate\write\AsyPreStream{%
302     \noexpand\inputIfFileExists{%
303       \ASYprefix\noexpand\jobname-\the\c@asy.pre}{-}{-}%
304   }
305   \asy@write@graphic@header
306   \IfFileExists{#2.asy}{\%
307     \CatchFileDef\@tempa{#2.asy}{\%
308       \let\do\@makeother
309       \dospecials
310       \endlinechar=10\relax
311     }
312   }{
313     \IfFileExists{#2}{\%
314       \CatchFileDef\@tempa{#2}{\%
315         \let\do\@makeother
316         \dospecials
317         \endlinechar=10\relax
318       }
319     }{
320       \PackageWarning{asymptote}{file #2 not found}%
321     }
322   }
323   \immediate\write\AsyStream{\unexpanded\expandafter{\@tempa}}%
324   \asy@finalise@stream
325   \asy@input@graphic
326   \endgroup
327 }

328 \newcommand{\ASYanimategraphics}[5][]{\%
329   \IfFileExists{_#3.pdf}{\%
330     \animategraphics[#1][#2]{_#3}{#4}{#5}%
331   }{}
332 }

```

## 4.9 Keys for graphics processing

```

333 \newcommand\asysetup[1]{\setkeys{ASYkeys}{#1}}
334 \define@key{ASYkeys}{dir}{\%
335   \def\asydir{#1}%

```

```

336 }
337 \def\ASYwidth{}
338 \define@key{ASYkeys}{width}{%
339   \edef\ASYwidth{\the\dimexpr#1\relax}%
340 }
341 \def\ASYheight{}
342 \define@key{ASYkeys}{height}{%
343   \edef\ASYheight{\the\dimexpr#1\relax}%
344 }
345 \def\ASYviewportwidth{\ASYdefaultviewportwidth}
346 \def\ASYdefaultviewportwidth{%
347   \ifASYattach \@empty \else \the\linewidth \fi
348 }
349 \define@key{ASYkeys}{viewportwidth}{%
350   \edef\ASYviewportwidth{\the\dimexpr#1\relax}%
351 }
352 \def\ASYviewportheight{}
353 \define@key{ASYkeys}{viewportheight}{%
354   \edef\ASYviewportheight{\the\dimexpr#1\relax}%
355 }

356 \define@key{ASYkeys}{attach}[true]{%
357   \ifthenelse{\equal{#1}{true}}
358     {\ASYattachtrue}
359     {\ASYattachfalse}%
360 }
361 \define@key{ASYkeys}{inline}[true]{%
362   \ifthenelse{\equal{#1}{true}}
363     {\ASYinlinetrue}
364     {\ASYinlinefalse}%
365 }

```