

globus authz

0.7

Generated by Doxygen 1.7.4

Thu May 5 2011 05:17:14

# Contents

|          |  |          |
|----------|--|----------|
| <b>1</b> | <b>Module Index</b>                      | <b>1</b> |
| 1.1      | Modules . . . . .                        | 1        |
| <b>2</b> | <b>Module Documentation</b>              | <b>1</b> |
| 2.1      | GSI Authorization API . . . . .          | 1        |
| 2.1.1    | Function Documentation . . . . .         | 2        |
| 2.2      | GSI Credential Constants . . . . .       | 3        |
| 2.2.1    | Enumeration Type Documentation . . . . . | 3        |

## 1 Module Index

### 1.1 Modules

Here is a list of all modules:

|                                 |          |
|---------------------------------|----------|
| <b>GSI Authorization API</b>    | <b>1</b> |
| <b>GSI Credential Constants</b> | <b>3</b> |

## 2 Module Documentation

### 2.1 GSI Authorization API

#### Initialize Handle

- globus\_result\_t [globus\\_gsi\\_authz\\_handle\\_init](#) (globus\_gsi\_authz\_handle\_t \*handle, const char \*service\_name, const gss\_ctx\_id\_t context, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Authorization decision made here

- globus\_result\_t [globus\\_gsi\\_authorize](#) (globus\_gsi\_authz\_handle\_t handle, const void \*action, const void \*object, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Destroy Handle

- globus\_result\_t [globus\\_gsi\\_authz\\_handle\\_destroy](#) (globus\_gsi\_authz\_handle\_t handle, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

#### Query for authorization identity

- globus\_result\_t [globus\\_gsi\\_authz\\_get\\_authorization\\_identity](#) (globus\_gsi\_authz\_handle\_t handle, char \*\*identity\_ptr, globus\_gsi\_authz\_cb\_t callback, void \*callback\_arg)

## 2.1.1 Function Documentation

2.1.1.1 `globus_result_t globus_gsi_authz_handle_init ( globus_gsi_authz_handle_t * handle, const char * service_name, const gss_ctx_id_t context, globus_gsi_authz_cb_t callback, void * callback_arg )`

Initializes a handle.

### Parameters

|                     |  |
|---------------------|--|
| <i>handle</i>       | Pointer to the handle that is to be initialized            |
| <i>service_name</i> | Service to authorize access to                             |
| <i>context</i>      | Security context used to contact the service               |
| <i>callback</i>     | Callback function to call when authz handle init completes |
| <i>callback_arg</i> | Argument to callback function                              |

### Returns

GLOBUS\_SUCCESS if successful A Globus error object on failure:

2.1.1.2 `globus_result_t globus_gsi_authorize ( globus_gsi_authz_handle_t handle, const void * action, const void * object, globus_gsi_authz_cb_t callback, void * callback_arg )`

Authorization decision made here.

### Parameters

|                     |  |
|---------------------|--|
| <i>handle</i>       | Pointer to the handle that is to be initialized        |
| <i>action</i>       | Action to authorize                                    |
| <i>object</i>       | Object that the action pertains to.                    |
| <i>callback</i>     | Callback function to call when authorization completes |
| <i>callback_arg</i> | Argument to callback function                          |

### Returns

GLOBUS\_SUCCESS if successful A Globus error object on failure:

2.1.1.3 `globus_result_t globus_gsi_authz_handle_destroy ( globus_gsi_authz_handle_t handle, globus_gsi_authz_cb_t callback, void * callback_arg )`

Destroy a Globus GSI authz handle.

### Parameters

|                     |  |
|---------------------|--|
| <i>handle</i>       | The handle that is to be destroyed                 |
| <i>callback</i>     | Callback function to call when handle is destroyed |
| <i>callback_arg</i> | Argument to callback function                      |

### Returns

GLOBUS\_SUCCESS

2.1.1.4 `globus_result_t globus_gsi_authz_get_authorization_identity ( globus_gsi_authz_handle_t handle, char ** identity_ptr, globus_gsi_authz_cb_t callback, void * callback_arg )`

Query for authorization identity.

### Parameters

|                     |   |
|---------------------|---|
| <i>handle</i>       | The handle that is to be used for the identity check.   |
| <i>identity_ptr</i> | The authorization identity determined by the authorization handle. This is must be freed by the caller. If the value is NULL (and this function returned GLOBUS_SUCCESS), the caller should use the authenticated identity. |
| <i>callback</i>     | Callback function to call when identity is determined.  |
| <i>callback_arg</i> | Argument to callback function.  |

## Returns

GLOBUS\_SUCCESS

## 2.2 GSI Credential Constants

### Enumerations

- enum `globus_gsi_authz_error_t` {  
`GLOBUS_GSI_AUTHZ_ERROR_SUCCESS` = 0,  
`GLOBUS_GSI_AUTHZ_ERROR_ERRNO` = 1,  
`GLOBUS_GSI_AUTHZ_ERROR_BAD_PARAMETER` = 2,  
`GLOBUS_GSI_AUTHZ_ERROR_CALLOUT` = 3 }

### 2.2.1 Enumeration Type Documentation

#### 2.2.1.1 enum `globus_gsi_authz_error_t`

GSI Authz Error codes.

#### Enumerator:

**`GLOBUS_GSI_AUTHZ_ERROR_SUCCESS`** Success.  
**`GLOBUS_GSI_AUTHZ_ERROR_ERRNO`** Error with system call.  
**`GLOBUS_GSI_AUTHZ_ERROR_BAD_PARAMETER`** Invalid parameter.  
**`GLOBUS_GSI_AUTHZ_ERROR_CALLOUT`** Callout returned an error.

## Index

- GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_PARAMETER
  - GSI Credential Constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT
  - GSI Credential Constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO
  - GSI Credential Constants, [3](#)
- GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS
  - GSI Credential Constants, [3](#)
- globus\_gsi\_authorize
  - GSI Authorization API, [2](#)
- globus\_gsi\_authz\_error\_t
  - GSI Credential Constants, [3](#)
- globus\_gsi\_authz\_get\_authorization\_identity
  - GSI Authorization API, [2](#)
- globus\_gsi\_authz\_handle\_destroy
  - GSI Authorization API, [2](#)
- globus\_gsi\_authz\_handle\_init
  - GSI Authorization API, [1](#)
- GSI Authorization API, [1](#)
  - globus\_gsi\_authorize, [2](#)
  - globus\_gsi\_authz\_get\_authorization\_identity, [2](#)
  - globus\_gsi\_authz\_handle\_destroy, [2](#)
  - globus\_gsi\_authz\_handle\_init, [1](#)
- GSI Credential Constants, [2](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_BAD\_PARAMETER, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_CALLOUT, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_ERRNO, [3](#)
  - GLOBUS\_GSI\_AUTHZ\_ERROR\_SUCCESS, [3](#)
  - globus\_gsi\_authz\_error\_t, [3](#)