

The isodoc class* for letters, invoices, and more

Wybo Dekker
wybo@dekkerdocumenten.nl

September 3, 2013

Abstract

The `isodoc` class can be used for the preparation of letters, invoices, and, in the future, similar documents. Documents are set up with options, thus making the class easily adaptable to user's wishes and extensible for other document types.

Keywords: letter, invoice, key/value, NEN1026

Contents

1	Introduction	2
2	Class options	2
3	Options for <code>\setupdocument</code>	2
4	Commands	7
5	Usage: letters	9
5.1	A simple letter	9
5.2	Multiple letters, redefined logo	14
6	Usage: invoices	15
6.1	A simple invoice	15
6.2	Invoice with redefined logo	18
7	Implementation	19
7.1	The options and their defaults	19
7.1.1	General options	19
7.1.2	Logo	20
7.1.3	Address window	20
7.1.4	Header	21
7.1.5	Footer	21
7.1.6	Folding mark	22
7.1.7	Header fields	22
7.1.8	Closing, autograph, signature	23
7.1.9	Invoice specific data	23
7.2	User Macros	24
7.2.1	Logo	25
7.3	Internal Macros	31

*This document corresponds to `isodoc` v1.00, dated 2013/08/27.

1 Introduction

This class is intended to be used for the preparation of letters and invoices. Its starting point was Victor Eijkhout's NTG brief class¹, which implements the NEN 1026 standard. The brief class does not provide facilities for invoices and it is not easily extensible.

The goal for the `isodoc` class is to be extensible and easy to use by providing *key=value* configuration. Furthermore, texts that need to be placed on prescribed positions on the page (there are many such texts) are positioned by using the `textpos` package.² This provides a very robust construction of the page.

The class itself contains many general definitions, but variable data, such as opening, closing, address and many more, have to be defined using *key=value* definitions, either in the document or in a style file. The latter is indicated for definitions that don't vary on a per document basis, such as your company name, address, email address and so on. Thus if you run a company and also are the secretary of a club, you would have style files for each of them, plus one for your private letters or invoices.³

The general setup of a document producing one or more letters is (see figures 1–3, page 12–13, for examples):

```
\documentclass{isodoc}
\usepackage{<somestyle>}
\setupdocument{<generaloptions>}
\begin{document}
\letter[<addressee_specific_options>]{<letter_content>}
... more \letter calls ...
\end{document}
```

Similarly, the general setup of a document producing one or more invoices is (figure 4, page 16):

```
\documentclass{isodoc}
\usepackage{<somestyle>}
\setupdocument{<generaloptions>}
\begin{document}
\invoice[<addressee_specific_options>]{<invoice_content>}
... more \invoice calls ...
\end{document}
```

This document describes several examples. The distribution contains a directory `examples` where each of these has a complete set of files, ready to experiment with.

2 Class options

The `isodoc` class is based on the `article` class and you can use the same class options. Note, however, that if you change the font size from its default (10pt) to an other value (11pt, 12pt) this applies to all text, including headings, address label, et cetera. This is normally not what you want. If you really want to change the font size of, for example, the text body, do so with the usual font commands. Doing so will result in poorly balanced document, however.

3 Options for `\setupdocument`

Options are given as *key=value* pairs, separated by comma's. Extra comma's, including one behind the last pair, don't hurt. An option argument should be enclosed in braces if it contains comma's or equals signs.

As shown in the two examples in the previous section, there are three commands that can set options: `\setupdocument`, `\letter`, and `\invoice`. These commands will be further

¹CTAN: ntgclass/briefdoc.pdf

²CTAN: textpos/textpos.pdf

³If you archive your documents in their source form only, it may be wise to work without a style file and set all options in the document itself!

explained in the *Commands* section. `\setupdocument` is normally used to set options that are common to all letters or invoices in the document, like your company data; the optional arguments of `\letter` and `\invoice` set only those options that are different for each letter or invoice, such as the `to` and `opening` options.

This section lists and explains all available options. All options can be used in both the style files and in the document source, although several will normally only be used in style files (such as `company`) and some only in the document source (such as `to` or `opening`).

Language

The options described here relate to the language used for the isodoc interface (headings, footings, date, banking data and so on.) This language is independent of the language you set with the `babel` or `polyglossia` packages. So, for example, you can write your document in English and use Dutch for the interface. Also, use of `babel` or `polyglossia` is not required.

Currently only a few interface languages are defined. As I am not particularly strong in the translation of administrative terminology, please feel free to send me corrections. And if you don't find your own language here, please send me your translations and your language will be added.

The `language` option sets the language, `en-GB` is used by default.⁴

`language = ...` sets the interface language to any language defined by the class. Currently these are: `en-GB`, `en-US`, `fr-FR`, `de-DE`, `nl-NL`, `nl-BE`, `it-IT`, `es-ES`, `ca-ES`, `nb-NO`, `sr-RS`; the hyphens in these names are optional, so you can, for example, also write `enGB`.

If you are not satisfied with isodoc's choices for your language, you can change those, but *only after loading the language in the preamble*, i.e. you need to choose your language in a style file or in the `\setupdocument` statement, because otherwise isodoc will overwrite your changes with the definition for the English language.

Logo

Information about the sender is defined here. The logo, by default, consists of a large company name on top a rule with, hanging under the rule, a contact person's data. You can define the latter either explicitly with the `logoaddress` option, or let it automatically be created from the contents of the options `who`, `street`, `prezip`, `zip`, `city`, `country`, and `foreign`, as far as you have defined those. Definition in parts can be useful if you need them elsewhere in your document.

<code>company = ...</code>	Your company name as it should appear in the logo (if you use the default logo) and in the return address (where it may get overridden by the <code>returnaddress</code> keyword.) For private documents, use your name or nickname here.
<code>logoaddress = ...</code>	Contact person's data; use <code>\\</code> commands for line breaks. If you don't define this option, the data will be constructed from the following options.
<code>who = ...</code>	Contact person's name; probably your own name.
<code>street = ...</code>	Street in the sender's address.
<code>city = ...</code>	City in the sender's address.
<code>zip = ...</code>	Zip in the sender's address.
<code>cityzip</code>	Place zip <i>after</i> city, instead of before it (the default).
<code>country = ...</code>	Country in the sender's address. Only used if <code>foreign</code> key was used.
<code>countrycode = ...</code>	Sender's country code. For The Netherlands: <code>NL</code>
<code>areacode = ...</code>	Sender's area code. For The Netherlands: <code>31</code>

⁴The options `dutch`, `english`, `american`, `german`, and `french` still work, but are obsolete and will be removed in a future version.

foreign	Use this key if you send your letter to a foreign country. With it, your country will be added to return and logo addresses, your zip code will be prefixed with your country code, telephone numbers will be prefixed with +31- (or whatever your areacode option has been set to) instead of just a 0.
---------	--

Address window

The addressee's address is printed in a window. The width of the window is two columns (70 mm), and its contents are vertically centered in it. There are no limits to the vertical size of the window, other than the physical size of the window in the envelopes you use. The vertical position of the window's center is set with the `addresscenter` keyword. Horizontally there are two options: left or right.

<code>leftaddress</code>	Places the window over columns 2 and 3; this is the default.
<code>rightaddress</code>	Places the window over columns 4 and 5.
<code>addresscenter = ...</code>	Distance in mm of the center of the window from the top of the paper; the default value is 63.5 mm, fitting for a DL envelope for triple folded A4 (110x220mm) with a window at 50 mm from the top, 30mm high. ⁵
<code>addresswidth = ...</code>	The address window's width. The default is 70 mm (2 columns).
<code>to = ...</code>	The addressee's address. New lines can be introduced with the <code>\\</code> command; lines longer than 70 mm will cause extra newlines.
<code>[no]return</code>	Do or don't print a return address on top of the addressee's address. This is useful if blank window envelopes are used. The return address is composed from the contents of the company, street, zip, city, and country keywords; it is printed in a bold script size sans serif font and is separated from the addressee's address with a rule. The country will only be printed if the <code>foreign</code> keyword has been used.
<code>returnaddress = ...</code>	The return address, if it is composed as just described, may become too long to fit in the address window. Or you may want to define a completely different return address. With the <code>returnaddress</code> keyword you can redefine the return address. Use <code>\\</code> to insert bullets.

Header fields

Under the address window, a header is printed. The page is vertically divided in six columns, one each for the left and right margins, and four which, in the header, say: *Your letter of*, *Your reference*, *Our reference*, and *Date*, each with their respective contents under them. If the `subject` keyword is used, an extra line starting with *Subject:* will appear, followed by the contents on the same line and over a width of 2.5 columns. If needed, extra lines will be used.

<code>bodyshift = ...</code>	The header starts 98mm from the top of the paper, but it can be shifted with the <code>bodyshift</code> option.
<code>[no]header</code>	The <code>noheader</code> option disables all header fields, the <code>header</code> option re-enables them (<code>header</code> is the default.)
<code>yourletter = ...</code>	first field in the header: the date of the letter this document is reaction on; empty by default.
<code>yourref = ...</code>	second field in the header: addressee's reference of the letter this document is reaction on; empty by default.
<code>ourref = ...</code>	third field in the header: your own reference for this document.

⁵The middle of the window is at $50+30/2=65$ mm from the top of the envelope; the paper is folded (see the folding options below) to give the folded paper a tolerance of 1.5mm on both sides in the envelope, so the address should be placed 1.5 mm higher at $65-1.5=63.5$ mm.

date = ...	fourth field of the header. The argument must have the form <code>yyyymmdd</code> or <code>yyyy-mm-dd</code> ; it will be translated into a date like “May 3, 2006” if the document language is English, or into its translation in the actual language. The default value is ‘Undefined date’, i.e. the date of <code>\today</code> is not the default as this would make the date untraceable from the document source only. However, you can force the use of <code>\today</code> by providing the string <code>today</code> for the argument.
forcedate = ...	The restrictions of the date option can be overridden by using the <code>forcedate</code> option instead; you can thus enter anything you like for the date.
subject = ...	subject of this document; is placed raggedright under the other fields, over the full textwidth. Use newlines if you want to restrict the width of the text.

Opening and Closing

A letter is started with an opening – something like ‘Dear John’, and ended with a closing – something like ‘Regards,<newline>Betty’, perhaps with an autograph (or white space) in between.

opening = ...	Dear John
openingcomma = ...	by default, the opening phrase is followed by a comma, but you can change that here.
closing = ...	Regards
closingcomma = ...	by default, the closing phrase is followed by a comma, but you can change that here.
signature = ...	Betty
autograph = ...	This keyword can have one of the 10 values 0–9: <ul style="list-style-type: none"> 0: no autograph; the <code>signature</code> appears right under the closing. This is the default if the <code>autograph</code> option is not used (using it without a value is equivalent to <code>autograph=2</code>). 1: generates extra whitespace between <code>signature</code> and <code>closing</code> for a hand-written autograph. Change with the <code>closingskip</code> key. 2–9: inserts one of eight autograph images which, with the <code>\autograph</code> command, may have been defined in the style file.
enclosures = ...	This keyword can be used to add a note, at the end of the document, which starts with Enclosure: followed by the value of the keyword. Multiple enclosures can be separated with <code>\\</code> commands. If those are found, the starting text will be Enclosures: .
copyto = ...	This keyword can be used to add a note, at the end of the document, which starts with Copy to: followed by the value of the keyword. Multiple entries can be separated with <code>\\</code> commands.
closingskip = ...	white space between signature and closing. The default is <code>2\baselineskip</code> .

Footer fields

If the `footer` option is used, up to five footer fields are shown in the order defined in the `footorder` option; available fields, defined with options of the same name, are currently `website`, `phone`, `cellphone`, `fax` and `email`.

[no]footer	enables or disables printing a page footer; there is room for upto four fields, if you set five fields, the last one will appear in the right margin.
------------	---

`footorder = ...` changes the order of footer fields. The argument should be a semicolon (;) separated list of fieldnames. The default is `website;phone;cellphone;email`. Empty fields can be inserted with extra ;'s.
`phoneprefix` prefix for phone numbers. The default is '0'; will be changed into '+<areacode>-' if the `foreign` option is used.
`phone = ...` if defined, and `phone` occurs in the `footorder` string, prints 'phone' in the page footer, with the contents under it, prefixed with a 0 or, if the `foreign` option was used, the areacode (set with the `areacode` option.) Telephone numbers should thus be entered without a prefix.
`cellphone = ...` same for cellphone...
`fax = ...` fax...
`email = ...` email...
`website = ...` and website.

Folding marks

Folding marks can be useful, particularly if your address window is used to its limits. Correctly folding your letter then prevents parts of the address to become invisible because of the letter loosely filling the envelope.

`nofold` Disable folding marks.
`foldleft` The folding mark is printed in the left margin.
`foldright` The folding mark is printed in the right margin. This is the default.
`fold2` Folding mark at about halfway, set for tight fitting into a 220x162 mm envelope, with a tolerance of 2 mm at both sides.
`fold3` Folding mark at about one third from the top, set for tight fitting into a 220x110 mm envelope, with a tolerance of 1.5 mm at both sides.
`fold = ...` For non-standard envelopes and paper formats the position of the folding mark can be set at any position (in mm) from the top of the paper.

Payment data

In invoices you probably want to make clear where you want your debtor to transfer his money to. You can do so by calling the `\accountdata` command, which generates a little table containing these data. The contents of this table can be defined with the following keywords:

`term = ...` Payment term in days; default is 30.
`currency = ...` Currency; default is euro.
`accountno = ...` Your bank account number.
`routingno = ...` Your bank's routing number. Will not be cited if undefined.
`accountname = ...` Your bank account's ascription. Will not be cited if undefined.
`iban = ...` Your account's IBAN...
`bic = ...` and BIC code; enter both in lower case: they are typeset in small caps.
`vatno = ...` Your VAT reference number.
`chamber = ...` Your Chamber of Commerce subscription number, not yet used.

Accept data

These keys pertain to data needed for accept forms:

`acceptaccount = ...` Payer's bank account number
`acceptaddress = ...` Payer's address lines, separated with \\
`accepteuros = ...` Euro part of the amount to be paid
`acceptcents = ...` Cents part of the amount to be paid

<code>acceptdescription = ...</code>	Description to be quoted on the accept form
<code>acceptdesc = ...</code>	Short version of the description for the detachable strip of the form to be kept by the payer
<code>acceptreference = ...</code>	Reference

Miscellaneous

<code>[no]fill</code>	Use the <code>fill</code> keyword to justify text both left and right; the default is <code>nofill</code> : left justification only.
<code>shift = ...</code>	The many text positions in <code>isodoc</code> are defined in millimeters, but sometimes printers show an aberration in their horizontal or vertical printing position. You can correct for this with the <code>shift = x,y</code> option, where <code>x</code> and <code>y</code> (both 0 by default) shift the output to the right and down, respectively, in millimeters.
<code>[no]vertical</code>	Invoice tables are printed with a vertical line between description and amount. The <code>novertical</code> option suppresses this, the <code>vertical</code> option restores it.

4 Commands

<code>\showkeys</code>	The <code>\showkeys</code> command can be useful for debugging. It prints a table showing the option keys described in the previous section, and their current values.
<code>\setupdocument</code>	Most of the setup, both in the style files and in the documents themselves, is done setting options in a call to the class-defined <code>\setupdocument</code> command. The options can be either a key/value pair, or just a key. Options with values and those without may occur in any order, with the exception of <code>addresscenter</code> (see there.) Values need their surrounding <code>{}</code> 's only if they contain any comma's. The <i>Options</i> section explains the available options.

Most of the options have a corresponding command with the same name. Although not very often, it may sometimes be useful to have those commands available. These are the options with a corresponding command:

<code>accept</code>	<code>accountno</code>	<code>country</code>	<code>iban</code>	<code>subject</code>
<code>acceptaccount</code>	<code>areacode</code>	<code>countrycode</code>	<code>logoaddress</code>	<code>term</code>
<code>acceptaddress</code>	<code>bic</code>	<code>currency</code>	<code>ourref</code>	<code>to</code>
<code>acceptcents</code>	<code>cellphone</code>	<code>date</code>	<code>phone</code>	<code>vatno</code>
<code>acceptdesc</code>	<code>chamber</code>	<code>email</code>	<code>phoneprefix</code>	<code>website</code>
<code>acceptdescription</code>	<code>city</code>	<code>enclosures</code>	<code>return</code>	<code>who</code>
<code>accepteuros</code>	<code>cityzip</code>	<code>fax</code>	<code>returnaddress</code>	<code>yourletter</code>
<code>acceptreference</code>	<code>company</code>		<code>routingno</code>	<code>yourref</code>
<code>accountname</code>	<code>copyto</code>	<code>header</code>	<code>street</code>	<code>zip</code>

So you could write in your letter: “please send me the money on my bank account: `\accountno` as soon as possible.”

<code>\letter</code>	The <code>\letter</code> command produces one letter and can be called multiple times. It has two arguments. The first argument is optional and must be a list of <code>key=value</code> pairs. The options set here are usually those that vary among different letters. The second argument contains the letter's content. This content will, depending on the options set, automatically be surrounded by an opening, a closing, an autograph, a signature and a remark about any enclosures. The first page of each letter will be decorated with a logo, the addressee's address, a return address, various reference fields, a footer, a folding mark—all as defined by <code>key=value</code> pairs in <code>\setupdocument</code> or in the <code>\letter</code> command itself.
----------------------	--

The second and following pages will have a heading, quoting the name of the addressee and a page number. Examples of letters can be found in the section *Usage: letters*.

<code>\invoice</code>	The <code>\invoice</code> command is essentially the same as the <code>\letter</code> command, except that the opening is always “INVOICE”, and the content (argument 2) is largely composed using the <code>\itable</code> , <code>\iitem</code> , <code>\itotal</code> , and <code>\accountdata</code> commands described hereafter. Closing, autograph, and signature are disabled.
-----------------------	--

In the Netherlands, invoices can be provided with an accept form on the lower third part

of the page. If the accept option was used, this accept form will be filled with the available data, in the ocrb font where needed.

`\itable` The following commands pertain to invoices: The `\itable` command uses `tabularx` to create a two-column table. The first column of the table will have the header ‘Description’ (or its equivalent in the language selected), the header of the second column says ‘Amount (EUR)’. The argument of `\itable` should contain the contents of the table and could be of the form:

```
item 1 & amount 1\\
item 2 & amount 2\\
...
item n & amount n\\cline{2-2}
Total & amount\\
```

However, the next two commands may be used to enter these data more cleanly, and they provide better line spacings:

`\iitem` The `\iitem{item}{amount}` command (`iitem` stands for Invoice Item) is equivalent to writing `item & amount\\`.

`\itotal` The `\itotal[...]{amount}` command (`itotal` stands for Invoice total) is equivalent to writing: `\cline{2-2} Total & amount\\`, with the additional advantage that the word ‘Total’ will be replaced with its equivalent in the current language, or, if the optional argument is given, with that optional argument. Thus, the argument to the `\itable` command show above can also be written:

```
\iitem{item 1}{amount 1}
\iitem{item 2}{amount 2}
\itotal[Subtotal]{amount}
...
\iitem{item n}{amount n}
\total{amount}
```

`\accountdata` The `\accountdata` command prints a little table with accounting information needed by the creditor for paying the invoice. It is constructed using the values of the options `term`, `accountno`, `iban`, `bic`, `accountname`, `routingno`, `ourref`, and `vatno`, in that order, and as far as they have been defined.

`\autograph` The `\autograph` command, which will normally appear in a style file, serves to define up to eight autographs based on PDF, JPEG or PNG images. In the following it is important to know that the closing always remains at the same position: two `\baselineskips` under the end of the text body; autographs and the signature will be positioned relative to this fixed closing.

The selected autograph (argument 1) will be drawn near the closing (*Best regards*) if you use the `autograph` option with a value from 2 through 9. The position of the signature (*Betty*) will depend on the argument 4 of `\autograph`. `\autograph` has 6 arguments, defined in the table below. The arguments 3, 4 and 5 are integer percentages of the height of the image (argument 2). This means that you can change the height of the image and still keep the positions of closing, signature and the left margin at the same relative positions in the image. These percentages may be negative, or larger than 100%.

- arg 1: 2,3,...9: autograph number; will be translated internally to define `\autographA`, `\autographB`... `\autographH`
- 2: the height of the image (a dimen)
- 3: the vertical position (%) of the baseline of the closing (Regards,) from the top
- 4: the vertical position (%) of the baseline of the signature (John Letterwriter) from the closing
- 5: the distance (%) the autograph outdents in the margin
- 6: the image (jpg, png, pdf...)

How to design an autograph in 4 steps:

1. Make a scan of your signature on a white background. Remove the white background using an image manipulation program such as the `gimp` (*layer* \Rightarrow *transparency* \Rightarrow *color to alpha*) and save it as a PNG image. Removing the background is only necessary if

- you plan to move the image over the text body, which would then be covered by the white background — closing and signature will be printed over the image.
2. Guess where you want the closing's baseline to appear in the image, expressed as an integer percentage of the image height from the top of the image. Use this number for argument 3.
 3. Same for the signature, to use as argument 4.
 4. Same for the text body margin: distance of it from the left side of the image, expressed as an integer percentage of the image *height*.

<code>\logo</code>	The <code>\logo</code> command is internally used to define the default logo; you can redefine it with <code>\renewcommand{\logo}{...}</code> . An example of logo redefinition can be found on page 15.		
<code>\EUROSymbol</code>	Several symbols are frequently used in letters and invoices. These are usually taken from <code>marvosym.sty</code> ; however, <code>marvosym</code> collides frequently with command names used in <code>isodoc</code> . So they have gotten their own names here:		
<code>\EuroSymbol</code>			
<code>\EUR</code>			
<code>\EmailSymbol</code>			
<code>\LetterSymbol</code>			
<code>\MobileSymbol</code>			
<code>\PhoneSymbol</code>			

command	ascii	result
<code>\LetterSymbol</code>	66	✉
<code>\EuroSymbol</code>	164	€
<code>\EuroSymbol</code>	164	€
<code>\EUR</code>	99	€
<code>\EmailSymbol</code>	107	✉
<code>\PhoneSymbol</code>	84	☎
<code>\MobileSymbol</code>	72	📞

If you need other symbols, then please email me.

5 Usage: letters

Usage of the class is best explained by example.

5.1 A simple letter

Here is the latex source for a small letter; its result appears in figure 1:

```

\documentclass{isodoc}
\usepackage{letter}
\definecolor{headcolor}{gray}{.5}
\setupdocument{
  to = {TeX Users Group\
        1466 NW Naito Parkway, Suite 3141\
        Portland, OR 97208-2311\
        U.S.A
        },
  ourref = 1029,
  enclosures = isodoc documentation\LPPL documentation,
  subject = An example letter using the isodoc class --
            with an extra long subject extending over two lines.,
  autograph,
}

\begin{document}
\letter[language=it-IT]{
This letter was composed using the \LaTeX{} isodoc class.
\par\input{thuan} % for some body
}
\end{document}

```

This source essentially shows three items:

1. the inclusion of a package `letter`; we'll come to that shortly.
2. the command `\setupdocument` called with many *key=value* arguments, each defining one of the texts that go into the letter.
3. the command `\letter`, enclosing the body of the letter; just to give the letter some real body, a small text has been included using `\input`.

Wybo Dekker
Deilsedijk 60
4158 CH Deil

TeX Users Group
1466 NW Naito Parkway, Suite 3141
Portland, OR 97208-2311
U.S.A

Oggetto: An example letter using the isodoc class – with an extra long subject extending over two lines.

This letter was composed using the L^AT_EX isodoc class.

Allegati:
isodoc documentation
LPPL documentation

sito Web: www.xs4all.nl telefono: 087-87 48 496 cellulare: 06-15 49 20 70 e-mail: wybo@xs4all.nl

10

Of course this is not all of the information needed to create a letter. For example, there should be a logo, telling the addressee who I am and there should be contact information such as my address, telephone number and so on. This is where the included `letter` package plays its part. Here is an example of such a style file:

```
\NeedsTeXFormat{LaTeX2e}[1999/12/01]
\ProvidesPackage{letter}
  [2010/08/21 v1.1 Letter Company style file for isodoc]
\RequirePackage{pxfonts}

\setupdocument{return,footer,fold3,
  autograph      = 0,
  company         = The Letter Company,
  returnaddress   = Letter Cy\\Deilsedijk 60\\Deil,
  who             = Wybo Dekker,
  street          = Deilsedijk 60,
  city            = Deil,
  zip             = 4158 CH,
  country         = The Netherlands,
  countrycode     = NL,
  areacode        = 31,
  phone           = {87-87\,48\,496},
  cellphone       = {6-15\,49\,20\,70},
  fax             = {},
  website         = www.xs4all.nl,
  email           = wybo@xs4all.nl,
  accountno       = {3040\,46221},
  iban            = nl61pstb0006238747,
  bic             = pstbnl21,
  vatno           = 28750482B01,
  chamber         = 11023220,
  opening         = L.S.,
  closing         = Best regards,
  signature       = W.H.~Dekker,
}
\autograph{2}{35mm}{34}{83}{28}{signmarked}
\endinput
```

So in the style file, too, `\setupdocument` is used to register information that will common to almost all of my letters. The `\autograph` command sets up an autograph, based on an image file. Apart from the code shown here, a style file can contain definitions for more autographs, and a definition for a logo. Without the latter, a default logo is produced. Note also that I have included defaults for opening, closing, and signature in the style file, and that I did not override those in the letter's source.

The letter source example shown above, in combination with this style example, compiles to the letter shown in figure 1. This example illustrates some aspects of `isodoc`:

- At the top, you see the default letterhead (logo). You can create your own logo by redefining the `\logo` command.
- Under it is the address. It has a return address in script sized sans serif boldface over it, because the return key has been used. A return address is useful if you send your letters in a standard window envelope. The positioning of the address is done in the style file, using the `addresscenter` and `leftaddress` or `rightaddress` keywords.
- The paper is vertically divided in six equally wide columns. The outer two columns are the left and right margins, the second to fifth columns contain header and footer fields.
- The “Your reference” and “Our reference” fields have not been set (with the `yourref` and `ourref` keys) and therefore stay empty by default, the date field has also not been set, but it should be. Therefore, the default value is “Undefined date”, and a warning is issued by a pink background.
- A folding mark has been printed in the extreme right margin, such that on folding the paper along it, it will correctly fit in a 220 x 110 mm envelope; this has been achieved by using the `fold3` key.
- In between closing (*Best regards,*) and signature (*W.H. Dekker*) an autograph has been placed. This was done by setting the option `autograph`, which has a default



The Shiva Shakti Foundation

Main Building 567th floor Room 123 Bangkok

Wybo Dekker
Deilsedijk 60
4158 CH Deil

Your letter of	Your reference	Our reference	Date
May 12	MAPS #34	1029	3rd September 2013
Subject: Sample letter with the isodoc class			

Beste Wybo,

This is an example of a letter made with the isodoc class. It has been compiled with XeLaTeX. Note that the date was set to 'today', so the date above the letter depends upon the day of compilation.

The picture in the logo was designed by Pieter Weltevrede. The text in the logo is Chopin Script, the body text is MinionPro Regular. The text¹ has no meaning, its only goal is to get a long letter.

Typografie wordt meestal toegepast om het doel en de inhoud van een tekst te ondersteunen. Een tekst moet bijvoorbeeld prettig leesbaar zijn. Daarom worden teksten in boeken en kranten vaak uit een lettertype met schreef gezet, maar op het beeldscherm juist vaak met een schreefloos lettertype zoals Verdana of Tahoma opgemaakt.

Voor een reclame- of waarschuwingsbord is het van belang dat woorden opvallen door ze met felle kleuren te accentueren. In een lange tekst wordt het juist als storend wordt ervaren wanneer er vetgedrukte woorden uitspringen en wordt bij voorkeur cursivering gebruikt om de lezer te attenderen.

Ook met andere zaken die de leesbaarheid van een tekst beïnvloeden houdt typografie zich bezig. Bijvoorbeeld het gebruik (doelgroep) en de indeling van een pagina. De typograaf let op:

- de zetbreedte (regellengte): de breedte van een tekstblok of kolom. De typograaf let daarbij op het maximum aantal tekens of woorden per regel. Bij een tekst met te lange regels moet het oog van de lezer namelijk een te grote afstandssprong maken van het eind van de regel naar het begin van de volgende. In het algemeen worden maxima gehanteerd van gemiddeld ca. 85 tekens (inclusief spaties en leestekens) of van gemiddeld twaalf woorden.
- de diverse lettergroottes (corpsen) en -soorten Door een combinatie daarvan (naast o.a. kleurgebruik) kan de typograaf de diverse tekstelementen visueel onderscheidend maken en daarmee de inhoudelijke hiërarchie goed visualiseren en ordenen. Letterfamilies bestaan uit diverse lettersoorten, meestal minimaal romein (normaal), vet, cursief en vet-cursief. Er zijn ook uitgebreide letterfamilies, die dan bijv. als extra lettersoort vet-cursief, halfvet, extra vet, versmald en verbreed hebben.

¹gathered from the T_EX-distribution

Figure 2: Long letter example with a non-standard logo, page 1

- de interlinie: het wit tussen twee regels.
- de regelaafstand: de grootte van de letter (het korps) opgeteld bij de grootte van de interlinie. (Voorbeeld: corps 10 punt + 4 punt interlinie geeft een regelaafstand van 14 punt.)
- de woordspaties: het wit (de ruimte) tussen twee woorden.
- de letterspatiëring: het wit tussen de letters onderling
- de leestekens
- de gebruikte letterfamilie(s) (lettertypen).
- het vaste (verticale) tussenwit (bij meerdere kolommen)
- het bijeenblijven van inhoudelijke eenheden
- het bijeenblijven van inhoudelijke eenheden

Om een bekend voorbeeld te geven: de staartregel van een alinea die niet alleen boven aan een pagina mag staan (het zgn. 'hoerenjong'). Zo bestaat er o.a. ook de 'wees' of de 'weduwe' (uit het engels: the 'widow'). Deze termen staan beiden voor de eerste regel van een alinea die alleen staat onderaan een pagina.

Voor woordenboeken of kranten,² waar ruimte schaars is, worden er opzettelijk smalle lettertypen uitgezocht, waardoor het papier efficiënter benut kan worden. De marges worden dan uiteraard ook klein gehouden. Een voorbeeld is de Lexicon (Bram de Does, 1992), die wordt gebruikt in de krant NRC Handelsblad en het woordenboek de Dikke Van Dale.

Sommige aspecten en gewoontes van de typografie zijn universeel: te lange regels, te weinig interlinie en te kleine woordspaties lezen niet prettig. Andere gewoontes zoals het gebruik van aanhalingstekens en gedachtestreepjes verschillen van tijd tot tijd en van land tot land en daarbinnen nog weer van publicatie tot publicatie.

Kind regards,

Wybo Dekker

Enclosure:
Isodoc documentatie

²en wat u nog maar zelf kunt bedenken...

Figure 3: Long letter example with a non-standard logo, page 2

value of 2. Alternative values are 0 (nothing between closing and signature), 1 for white space where an autograph can be placed with a pen after printing, or one of the values 2–9, which may have been associated with other autograph images. In this case, I have used an autograph image in which I have drawn the boundary box and the *outdent*, *closing*, and *signature* positions defined in the `\autograph` command (see the section *Commands*) with red lines.

- The bottom of the letter has (up to) four fields with contact information. This is useful if your logo does not show that information. If it does, you can omit these fields by using the `nofooter` key, or by not using the `footer` key, depending on the default set in the style file.

5.2 Multiple letters, redefined logo

Let's try another illustrative example, see figures 2 and 3: we use a modified style file, with a redefined logo, so we don't need a page footer; we use preprinted right-windowed envelopes, so a return address is not needed. Here is the style file (`logoletter.sty`):

```
\NeedsTeXFormat{LaTeX2e}[1999/12/01]
\ProvidesPackage{logoletter}
  [2010/08/21 v1.1 logoletter style file for isodoc]
\usepackage{fontspec,polyglossia}
\hypersetup{hidelinks}
\setupdocument{
  nofooter,fold2,autograph=1,
  company      = The Shiva Shakti Foundation,
  who          = Wybo Dekker,
  street       = Deilsedijk 60,
  city         = Deil,
  zip          = 4158 CH,
  country      = The Netherlands,
  countrycode  = IN,
  areacode     = 31,
  phone        = {87-87\,48\,496},
  cellphone    = {6-15\,49\,20\,70},
  fax          = {},
  website      = wybo.xs4all.nl,
  email        = wybo@xs4all,
  accountno    = {3040\,46221},
  iban         = nl61pstb0006238747,
  bic          = pstbnl21,
  language     = en-GB,
  addresscenter = 70,
  rightaddress
}
\autograph{2}{19mm}{17}{93}{21}{signblue}

\definecolor{headcolor}{rgb}{.14,.33,.43}
\definecolor{shivablue}{rgb}{.14,.33,.43}
\definecolor{shivaback}{rgb}{.97,.87,.71}

\renewcommand{\logo}{
  \pagecolor{shivaback}
  \begin{textblock}{2}(10,13)
    \includegraphics[scale=.3]{shiva-shakti.png}
  \end{textblock}
  \begin{textblock}{105}(88,15)
    \begin{center}
      \fontspec{ChopinScript}
      \noindent\color{shivablue}{\Huge The Shiva Shakti Foundation}\\[2ex]
      Main Building\quad
      567\textsuperscript{th} floor\quad
      Room 123\quad
      Bangkok
    \end{center}
  \end{textblock}
}
```

```

}
\setmainfont[Mapping=tex-text]{MinionPro-Regular}
\setdefaultlanguage{english}
\setotherlanguage{dutch}
\endinput

```

The letter source does not use the `autograph` key, so the default value of 2 is used; we write it in Dutch and use a larger text, just to see what happens if more than one page is generated:

```

%!xelatex
\documentclass[11pt,twoside]{isodoc}
\usepackage{logoletter}
\setupdocument{
  ourref = 1029,
  yourletter = May 12,
  yourref = MAPS \#34,
  date = today,
  closing = Kind regards,
  signature = Wybo Dekker,
  enclosures = Isodoc documentatie,
  subject = Sample letter with the isodoc class,
  autograph = 2,
}
\newcommand{\letterbody}{%
  This is an example of a letter made with the isodoc class.
  It has been compiled with XeLaTeX.
  Note that the date was set to 'today', so the date above the
  letter depends upon the day of compilation.

  The picture in the logo was designed by Pieter Weltevrede.
  The text in the logo is Chopin Script, the body text is MinionPro Regular.
  The text\footnote{gathered from the \TeX-distribution} has no meaning,
  its only goal is to get a long letter.
  % It's in dutch, so we select that language:
  \begin{dutch}
    \par\input{typo.txt}
  \end{dutch}
}

\begin{document}
\letter[to = Wybo Dekker\\
      Deilsedijk 60\\
      4158 CH Deil,
      opening = Beste Wybo
    ]{\letterbody}
\letter[to = MAPS redactie\\
      Spuiboulevard 269\\
      3311 GP Dordrecht,
      opening = Beste Taco
    ]{\letterbody}
\end{document}

```

In this case, the same letter had to be sent to two different people, with different openings and addresses of course. So the letter's body is separately defined and the `\letter` command is called twice, with the same body, but different `to` and `opening` keys. Figures 2 and 3 show the first two pages (the first letter) of this document, which actually has four pages.

6 Usage: invoices

6.1 A simple invoice

Invoices (can) have the same structure as letters, except that the `\opening` isn't "Dear Somebody" anymore, but something like "Invoice". And the `\closing` doesn't say "Best regards", but may provide payment information. And the body is not a simple text, but a table with descriptions of things to be paid, and the corresponding amounts of money.

Wybo Dekker

Wybo Dekker
Deilsedijk 60
4158 CH Deil

W.H. Dekker • Deilsedijk 60 • 4158 CH Deil

NTG
Maasstraat 2
5836 BB Sambeek

Uw brief van	Uw kenmerk	Ons kenmerk	Datum
		8234	1 april 2006

Onderwerp: Declaratie verzending aanmaningen

REKENING

Omschrijving	Bedrag(€)
enveloppen	6,60
postzegels	9,00
Subtotaal	15,60

Betalingsgegevens:

IBAN: NL94RABO0304046221
BIC: RABONL2U
ten name van: W.H. Dekker
kenmerk: 8234

webstek
www.xs4all.nl

telefoon
087-8748496

mobiel
06-30333955

e-mail
wybo@xs4all.nl

Figure 4: Invoice example



NEDERLANDSTALIGE TEx GEBRUIKERSGROEP

Wybo Dekker
Deilsedijk 60
4158 CH Deil

NTG • Deilsedijk 60 • Deil 4158 CH

W.H. Dekker
Deilsedijk 60
4158 CH Deil

Uw brief van

Uw kenmerk

Ons kenmerk
308

Datum
3 mei 2006

Onderwerp: Contributie 2006

REKENING

Omschrijving	Bedrag(€)
Contributie NTG voor 2006	40,00

Betalingsgegevens:

IBAN: NL05PSTB0001306238
BIC: PSTBTL21
ten name van: NTG
kenmerk: 308

deze strook niet meezenden

euro-acceptgiro
over te schrijven/te storten

€ euro ct +

van girorekening of bankrekening

van/door
naam
adres
plaats

handtekening

zijn alle rode rubrieken ingevuld?
formulier uitsluitend bestemd voor betaling in euro's

110575-E05
0002

op rekening 1306238
NTG
Deilsedijk 60
4158 CH Deil

op rekening 1306238
van NTG
Deilsedijk 60, 4158 CH Deil

formulier met blauwe of zwarte inkt invullen
© gezamenlijke banken en postbank

nadruk verboden de ruimte hieronder niet beschrijven niet vouwen
betalingskenmerk ☒ van rekening ☐ euro ☐ ct ☒ diversen ☒ naar rekening ☐ code

0021306238+ 12>

Figure 5: Invoice example with accept form

An example, as usual, is most instructive:

```
\documentclass{isodoc}
\usepackage{invoice}
\setupdocument{
  ourref = 8234,
  date = 20060401,
  subject = Declaratie verzending aanmaningen,
  to = NTG\Maasstraat 2\5836 BB Sambeek
}
\begin{document}
\invoice{
  \itable{
    \iitem{enveloppen}{6,60}
    \iitem{postzegels}{9,00}
    \itotal[Subtotaal]{15,60}
  }
  \[3ex]\accountdata
}
\end{document}
```

The result is shown in figure 4.

6.2 Invoice with redefined logo

When the `accept` option is used, the invoice will be created with an invoice form on the lower third part of the page. Here is an example:

```
\documentclass{isodoc}
\usepackage{accept}
\setupdocument{accept,
  acceptdesc=NTG\2006,
  acceptdescription=Contributie 2006,
  acceptreference=4000 0000 2006 0308,
  date=20060503,
  subject=Contributie 2006,
  nofooter
}
\begin{document}
\invoice[
  to=W.H. Dekker\Deilsedijk 60\4158 CH Deil,
  acceptaccount=304046221,
  accepteuro=40,
  acceptcents=00,
  ourref=308,
]{\itable{\iitem{Contributie NTG voor 2006}{40,00}}\[3ex]
  \accountdata
  \begin{textblock}{210}(0,199.5)
    \noindent\includegraphics[width=210mm]{acceptform.jpg}
  \end{textblock}
}
\end{document}
```

Normally such invoices are printed on preprinted paper with an easily detachable, perforated form. In this example, the form itself has been printed, too. The `graphicx` and `textpos` packages have already been made available by the `isodoc` class. Figure 5 shows the output of this example.

7 Implementation

The basis is the `article` class with all options:

```
1 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
2 \ProcessOptions
3 \LoadClass{article}
```

We use `\ctable` floats here, and we need `ctable`'s commands for decent spacing in tables and more. `ctable` also brings us `array`, `tabularx`, `color`, and `xkeyval`. `eurosym` is used for the euro symbol.

```
4 \RequirePackage{ctable,color,tabularx,graphicx,xstring,calc}
5 \RequirePackage{forarray}
```

Since the name of the package contains 'iso', make the page A4. For `textpos`, divide the page in 210 columns of 1mm each and 297 rows, 1mm each. The page is vertically divided in 6 columns of 35mm each: a left margin, 4 fields, and a right margin.

```
6 \RequirePackage[nofoot,head=\baselineskip]{geometry}
7 \RequirePackage[absolute,overlay]{textpos}
8 \geometry{papersize={210mm,297mm},margin=35mm}
9 \TPGGrid{210}{297}
```

Several colors can be changed, by using the `\definecolor` command; the defaults (all black) are set here:

<code>headcolor</code>	<code>headcolor</code> : color for the header and footer field texts
<code>headingcolor</code>	<code>headingcolor</code> : color for the fancy headings
<code>markercolor</code>	<code>markercolor</code> : color for the folding marks

```
10 \definecolor{headcolor}{gray}{0}
11 \definecolor{headingcolor}{gray}{0}
12 \definecolor{markercolor}{gray}{0}
```

Use fancy headings, except for the first page. The heading, on a rule, looks like:

To: John Doe (April 1st, 2006)

Page 2 of 3

```
13 \RequirePackage{fancyhdr}
14 \pagestyle{fancy}
15 \AtBeginDocument{\addtolength{\headheight}{\baselineskip}}
```

Background color for signaling items that should have been defined, but weren't:

```
16 \definecolor{isodocpink}{rgb}{1,.7,.7}
17 \def\Undefined#1{\colorbox{isodocpink}{Undefined #1}}
```

A small sans serif font is used for header and footer field names and the sender's address information. The idea is that this is used for all pre-printed text on the letter paper.

```
18 \def\@hft{\footnotesize\sffamily\color{headcolor}}
```

7.1 The options and their defaults

7.1.1 General options

`shift` The default shift is 0mm,0mm. The `shift` option moves the output to the right and down:

```
19 \def\@xyshift#1,#2@@{\def\@xshift{#1}\def\@yshift{#2}}
20 \define@key{isodoc}{shift}{%
21   \@xyshift#1@@
22   \AtBeginDocument{\textblockorigin{\@xshift mm}{\@yshift mm}}
23 }
```

`vertical` The `vertical` option prints a vertical bar in invoices between description and amount – (this is the default), the `novertical` option suppresses it.

```
24 \define@key{isodoc}{vertical}[\verticaltrue]{\verticaltrue}
25 \define@key{isodoc}{novertical}[\verticaltrue]{\verticalfalse}
26                                     \newif\ifvertical\verticaltrue
27
```

Several items in the letter/invoice will be different in documents that are to be sent abroad; this is set with the `foreign` option, false by default:

```

28 \define@key{isodoc}{foreign}[\foreigntrue]{\foreigntrue}
29                                     \newif\ifforeign\foreignfalse
cityzip By default, the zip code is typeset before the city. The cityzip option reverses this:
30 \define@key{isodoc}{cityzip}[\cityziptrue]{\cityziptrue}
31                                     \newif\ifcityzip\cityzipfalse
dutch The following keys set the language; en-GB, set at the \EndOfClass is the default.
english 32 \define@key{isodoc}{dutch} []{\isodoc@nlNL\ClassWarning{isodoc}{the option dutch is obsolete}
german 33 \define@key{isodoc}{english} []{\isodoc@enGB\ClassWarning{isodoc}{the option english is obsolete}
34 \define@key{isodoc}{german} []{\isodoc@deDE\ClassWarning{isodoc}{the option german is obsolete}
american 35 \define@key{isodoc}{american} []{\isodoc@enUS\ClassWarning{isodoc}{the option american is obsolete}
french 36 \define@key{isodoc}{french} []{\isodoc@frFR\ClassWarning{isodoc}{the option french is obsolete}
language 37 \define@key{isodoc}{language}{\StrSubstitute{#1}{-}{}}[\@iso]\csname isodoc@\@iso\endcsname}
fill The default is to have left, but not right justification, allowing for hyphenation in extreme
nofill cases:
38 \define@key{isodoc}{fill} []{\rightskip=1\rightskip}
39 \define@key{isodoc}{nofill} []{\rightskip=0mm plus 35mm}
40                                     \rightskip=0mm plus 35mm

```

7.1.2 Logo

The logo, by default, consists of a large company or personal name on top a rule, with a contact person's name (probably your own name) and address hanging under the rule. Its contents are defined by the following options:

```

company 41 \define@key{isodoc}{company} {\def\company{#1}}
logoaddress 42 \def\company{\Undefined{company}}
who 43 \define@key{isodoc}{logoaddress}{\def\logoaddress{#1}}
street 44 \define@key{isodoc}{who} {\def\who{#1}}
city 45 \def\who{\Undefined{who}}
zip 46 \define@key{isodoc}{street} {\def\street{#1}}
country 47 \def\street{\Undefined{street}}
countrycode 48 \define@key{isodoc}{city} {\def\city{#1}}
49 \def\city{\Undefined{city}}
50 \define@key{isodoc}{country} {\def\country{#1}}
51 \def\country{\Undefined{country}}
52 \define@key{isodoc}{countrycode}{\def\countrycode{#1}}
53 \def\countrycode{\Undefined{countrycode}}
54 \define@key{isodoc}{zip} {\def\zip{#1}}
55 \def\zip{\Undefined{zip}}
56 \def\prezip{\ifforeign\countrycode\else\fi}

```

7.1.3 Address window

The address can be positioned vertically with the `addresscenter` option; the default is 63.5mm. This is the vertical position of the center of the address. Horizontally, the address is positioned either left or right, depending on the `leftaddress` or `rightaddress` options being used. In the first case, the address start at x=35mm, which is the left margin (the default), and thus in line with the first header field, in the second case at 105mm, in line with the one-but-last header field.

```

57 \define@key{isodoc}{leftaddress} []{\def\xaddress{35}}
58 \def\xaddress{35}
59 \define@key{isodoc}{rightaddress} []{\def\xaddress{105}}
60 \define@key{isodoc}{addresscenter} {\def\addresscenter{#1}}
61 \def\addresscenter{63.5}
62 \define@key{isodoc}{addresswidth} {\def\addresswidth{#1}}
63 \def\addresswidth{70}

```

to The `to` option takes the addressee's address lines. Use `\\` to separate lines. The info will be split by `\processto` on the first `\\` separator into the addressee's name (`\toname`) and his address (`\toaddress`) The `\toname` will be reported in the pdf's document properties. However, this works only if the `to` key is set, with `\setupdocument`, in the preamble. If several letters are composed, `to` is normally set in the `\letter` or `\invoice` commands and

thus is not seen by the \hypersetup, which is called \AtBeginDocument; so set the defaults to Various people for the \toname and make the address undefined:

```
64 \define@key{isodoc}{to}{\processto{#1}}\def\toname{Various people}
65                                     \def\toaddress{\Undefined{to}}
66 \long\def\processto#1{\xproc #1\@@@{\ifx\toaddress\empty
67     \else \yproc #1@@@{fi}
68 \long\def\xproc #1\#2@@@{\gdef\toname{#1}\gdef\toaddress{#2}}
69 \long\def\yproc #1\#2@@@{\gdef\toaddress{#2}}
```

return The default is to have no return address; but this can be changed by using the return (either in the style file or in the source) or, if the default was changed in the style file, remove it
noreturn with noreturn in the source. Company and country names are often too long to fit in
returnaddress the address window. Or you may want to define an entirely different return address. The returnaddress option is provided to redefine the return address:

```
70 \define@key{isodoc}{return} []{\returntrue}
71                             \newif\ifreturn\returnfalse
72 \define@key{isodoc}{noreturn} []{\returnfalse}
73 \define@key{isodoc}{returnaddress}{\def\returnaddress{#1}}
```

7.1.4 Header

header A header is switched on or off with the header and noheader options. The default is to have
noheader a header.

```
74 \define@key{isodoc}{header} []{\headertrue}
75                             \newif\ifheader\headertrue
76 \define@key{isodoc}{noheader} []{\headerfalse}
```

bodyshift The header is the start of the body. It is initially positioned at 98mm from the top of the paper, but it can be shifted with the bodyshift option.

```
77 \define@key{isodoc}{bodyshift} {\advance\headerpos#1}
78 \newcount\headerpos\headerpos=98
79 \newcount\footerpos\footerpos=275
80 \newcount\subjectpos
81 \newcount\openingpos
82 \newcount\textskip
```

7.1.5 Footer

footer A footer is switched on or off with the footer and nofooter options. The default is the have
nofooter no footer.

```
83 \define@key{isodoc}{footorder} {\def\footorder{#1}}
84                                     \def\footorder{website;phone;cellphone;email}
85 \define@key{isodoc}{footer} []{\footertrue}
86                             \newif\iffooter\footerfalse
87 \define@key{isodoc}{nofooter} []{\footerfalse}
```

areacode If there is a page footer, only those fields will be displayed which are not empty. Currently
phone the phone, cellphone, fax, email and website are recognised as possible footer fields.
phoneprefix Phone and fax number will be prefixed with a 0, unless the foreign option was used: then
cellphone the prefix will be '+nn-', where nn is the areacode. The latter is set with the areacode
fax option, which is 'Undefined areacode' by default.

```
88 \define@key{isodoc}{areacode} {\def\areacode{#1}}
89                                     \def\areacode{\Undefined{areacode}}
90 \define@key{isodoc}{phone} {\def\isodoc@phone{#1}}
91                                     \def\isodoc@phone{}
92                                     \def\phone{\Undefined{phone}}
93 \define@key{isodoc}{phoneprefix}{\def\phoneprefix{#1}}
94                                     \def\phoneprefix{0}
95 \define@key{isodoc}{cellphone} {\def\isodoc@cellphone{#1}}
96                                     \def\isodoc@cellphone{}
97                                     \def\cellphone{\Undefined{cellphone}}
98 \define@key{isodoc}{fax} {\def\isodoc@fax{#1}}
99                                     \def\isodoc@fax{}
100                                    \def\fax{\Undefined{fax}}
101 \define@key{isodoc}{website} {\def\website{#1}}
```

```

102 \def\website{\Undefined{website}}
103 \define@key{isodoc}{email} {\def\email{#1}}
104 \def\email{\Undefined{email}}

```

7.1.6 Folding mark

- nofold** The default is to have no folding mark. So start with the folding mark position outside the paper boundaries:
- ```

105 \define@key{isodoc}{nofold}[]{\yfold=-1mm}
106 \newdimen\yfold\yfold=-1mm

```
- foldleft** The folding mark is in the right margin, but it can be moved to the left margin with the **foldright** option, or, if made that the default in your style file, back to the right margin with the **foldright** option:
- ```

107 \define@key{isodoc}{foldleft}[]{\xfold=9mm}
108 \newdimen\xfold\xfold=201mm
109 \define@key{isodoc}{foldright}[]{\xfold=201mm}

```
- fold2** The envelope for double folded A4 is C5: 162x220mm, window 40x110mm, upper left corner at 20x50mm. Fold the A4 to have a tolerance of 2mm at top and bottom, by putting the fold mark at $162-4=158$ mm.
- ```

110 \define@key{isodoc}{fold2}[]{\yfold=158mm}

```
- fold3** The envelope for triple folded A4 is DL: 110x220mm, Fold the A4 to have a tolerance of 1.5mm at top and bottom, by putting the fold mark at  $110-3=107$ mm.
- ```

111 \define@key{isodoc}{fold3}[]{\yfold=107mm}

```
- fold** For non-standard envelopes and paper formats the position of the folding mark can be set at any position (in mm) from the top of the paper:
- ```

112 \define@key{isodoc}{fold}{\yfold=#1mm}

```

### 7.1.7 Header fields

- There are four header fields, each one quarter of the textwidth wide. Under those, if the subject has been defined, a subject line. The header position is 98mm by default, but it can be shifted with the **bodyshift** option.
- ourref**
- yourref**
- yourletter**
- ```

113 \define@key{isodoc}{ourref} {\def\ourref{#1}}
114 \def\ourref{}
115 \define@key{isodoc}{yourref} {\def\yourref{#1}}
116 \def\yourref{}
117 \define@key{isodoc}{yourletter}{\def\yourletter{#1}}
118 \def\yourletter{}

```
- date** The date must be entered in either of three formats: yyyy-mm-dd, yyymmdd or the string today. Here we check that a correct format is offered and that the values for mm and dd are in the range 1–12 and 1–31 respectively. The string today sets the date to today's date.
- ```

119 \define@key{isodoc}{date}{\@ismakedate{#1}}

```
- forcedate** If you know what you do you can substitute anything you like for the date by using the **forcedate** option instead of **date**:
- ```

120 \define@key{isodoc}{forcedate}{\def\forcedate{#1}}\def\forcedate{}

```
- subject** The subject is empty by default and will be typeset only if you give it a value.
- ```

121 \define@key{isodoc}{subject}{\def\subject{#1}}
122 \def\subject{}

```
- opening** The opening, something like 'Dear Reader', is set by the opening option; the default is 'Undefined opening'. It is followed by a comma, unless the openingcomma has been used to set it to a different character, like a semicolon or an exclamation mark.
- openingcomma**
- ```

123 \define@key{isodoc}{opening} {\def\opening{#1}}
124 \def\opening{\Undefined{opening}}
125 \define@key{isodoc}{openingcomma}{\def\openingcomma{#1}}
126 \def\openingcomma{,}

```

7.1.8 Closing, autograph, signature

closing The closing, something like ‘Best regards’, is set by the `closing` option; the default is ‘Undefined closing’. It will be preceded by a vertical skip, which can be set by the `closingskip` option, which is `2\baselineskip` by default:

```
127 \define@key{isodoc}{closing}      {\def\closing{#1}}
128                                 \def\closing{\Undefined{closing}}
129 \define@key{isodoc}{closingcomma}{\def\closingcomma{#1}}
130                                 \def\closingcomma{,}
131 \define@key{isodoc}{closingskip}{\closingskip=#1}
132                                 \newdimen\closingskip\closingskip=2\baselineskip
```

autograph The autograph is either just a newline, or a vertical spacing where you can put your autograph manually, or a graphic. In the latter case, is must have been defined with the macro `\autograph`, which defines an autograph from an image, see the section *User Macros*. Not using the autograph option is equivalent to `autograph=0` (just a newline). Using it without a value is equivalent to `autograph=2` (image inserted):

```
133 \define@key{isodoc}{autograph}[2]{\def\autographversion{#1}}
134                                 \def\autographversion{0}
```

signature The signature, something like ‘John Letterwriter’, is set by the `signature` option; the default is ‘Undefined signature’.

```
135 \define@key{isodoc}{signature}{\def\signature{#1}}
136                                 \def\signature{\Undefined{signature}}
```

enclosures Enclosures are set by the `enclosures` option. There are none by default.

```
137 \define@key{isodoc}{enclosures} {\def\enclosures{#1}}
138                                 \def\enclosures{}
```

copyto Cc-ed names are set by the `copyto` option. There are none by default.

```
139 \define@key{isodoc}{copyto} {\def\copyto{#1}}
140                                 \def\copyto{}
```

7.1.9 Invoice specific data

term Invoices need to state some specific data, like account data and term of payment:

```
accountno 141 \define@key{isodoc}{term}      [30]{\def\term{#1}}
routingno 142 \define@key{isodoc}{accountno} {\def\accountno{#1}}
accountname 143 \define@key{isodoc}{routingno} {\def\routingno{#1}}
iban      144 \define@key{isodoc}{accountname}{\def\accountname{#1}}
bic       145 \define@key{isodoc}{iban}      {\def\iban{#1}}
vatno     146 \define@key{isodoc}{bic}       {\def\bic{#1}}
chamber   147 \define@key{isodoc}{vatno}     {\def\vatno{#1}}
currency  148 \define@key{isodoc}{chamber}   {\def\chamber{#1}}
          149                                 \def\chamber{\Undefined{chamber}}
          150 \define@key{isodoc}{currency} {\def\currency{#1}}
          151                                 \def\currency{\EuroSymbol}
```

accept If an accept form is to be printed, here are the options to fill in all the fields:

```
acceptaccount 152 \define@key{isodoc}{accept}[E05]{\def\accepttype{#1}}
acceptaddress 153                                 \newfont\ocrb{ocrb10}
acceptcents   154                                 }
acceptdescription 155 \define@key{isodoc}{acceptaccount} {\def\acceptaccount{#1}}
acceptdesc    156                                 \def\acceptaccount{}
accepteuros   157 \define@key{isodoc}{acceptaddress} {\def\acceptaddress{#1}}
acceptreference 158                                 \def\acceptaddress{}
          159 \define@key{isodoc}{acceptcents} {\def\acceptcents{#1}}
          160                                 \def\acceptcents{\Undefined{}}
          161 \define@key{isodoc}{acceptdescription}{\def\acceptdescription{#1}}
          162                                 \def\acceptdescription{}
          163 \define@key{isodoc}{acceptdesc} {\def\acceptdesc{#1}}
          164                                 \def\acceptdesc{}
          165 \define@key{isodoc}{accepteuros} {\def\accepteuros{#1}}
          166                                 \def\accepteuros{\Undefined{}}
          167 \define@key{isodoc}{acceptreference} {\def\acceptreference{#1}}
          168                                 \def\acceptreference{\Undefined{ref}}
```

For now, we define field positions for the E05 accept form only; when data for other forms become available, the content of \accepttype will have to be checked. Here is a rough layout of the E05 accept form – the last character tells if the items are typeset in a Tbox (T) or in a Cbox (C):

		description	T
ref		description	T
ref	euros cents	reference	C
eur ct	account		C
desc	address		T
desc	address		
desc	address		

```

169 \def\xacceptdescription{105}\def\yacceptdescription{200}\def\wacceptdescription{100} %T
170 \def\xacceptref{7}\def\yacceptref{212}\def\wacceptref{30} %T
171 \def\xaccepteuros{60}\def\yaccepteuros{216}\def\waccepteuros{32} %C
172 \def\xacceptcents{89}\def\yacceptcents{216}\def\wacceptcents{13} %C
173 \def\xacceptreference{125}\def\yacceptreference{216}\def\wacceptreference{55} %C
174 \def\xaccepteur{14.4}\def\yaccepteur{228.5}\def\waccepteur{21} %C
175 \def\xacceptct{32}\def\yacceptct{228.5}\def\wacceptct{9} %C
176 \def\xacceptaccount{75}\def\yacceptaccount{228.5}\def\wacceptaccount{65} %C
177 \def\xacceptdesc{7}\def\yacceptdesc{241}\def\wacceptdesc{26} %T
178 \def\xacceptaddress{58}\def\yacceptaddress{241}\def\wacceptaddress{90} %T

```

This is the \baselineskip for the two-line reference of the detachable strip:

```

179 \newdimen\acceptreferenceskip\acceptreferenceskip=5.15mm

```

7.2 User Macros

Some symbols taken from marvosym.sty:

```

180 \RequirePackage{isodocsymbols}

```

The autograph is either just a newline, or a vertical spacing where you can put your autograph manually, or a graphic. In the latter case, it must have been defined with the macro \autograph, which defines an autograph from an image.⁶

Arguments (positions and outdents are taken as integer percentages of the image height, from the top of the image):

- arg 1: 2,3,...9: autograph number; will be translated internally to define \autographA, \autographB... \autographH
- 2: height of the image
- 3: closing baseline position
- 4: signature baseline position
- 5: outdent in the margin
- 6: the image (jpg, png, pdf...)

\autograph

```

181 \newdimen\iso@outdent
182 \newdimen\iso@signpos
183 \newdimen\iso@down
184 \newdimen\iso@closingpos

```

The arguments 3-5 of autograph have changed from dimens in versions up to 0.11 to integer numbers in version 1.00 and later. The iso@isNum macro will prevent the appearance of incomprehensible error message by issuing a class error if one of the arguments is not a number.

```

185 \def\iso@isNum#1#2{%
186   \sbox\z@{\@tempcnta=0#1\relax}
187   \ifdim\wd0>\z@\relax\ClassError{isodoc}%

```

⁶Thanks, Hans Hagen and Piet van Oostrum, for its definition


```

188             {Argument #2 of autograph must be a number!}%
189             {You are probably using the oldstyle autograph arguments}\fi
190 }
191 \def\autograph#1#2#3#4#5#6{%
192   \iso@isNum{#3}{3}\iso@isNum{#4}{4}\iso@isNum{#5}{5}
193   \ifnum #1<2
194     \ClassError{isodoc}{autograph #1 cannot be changed (first arg must be 2..9)}{}
195   \fi
196   \ifnum #1>9
197     \ClassError{isodoc}{autograph #1 cannot be changed (first arg must be 2..9)}{}
198   \fi
199   \bgroup
200   \lccode'2='A \lccode'6='E
201   \lccode'3='B \lccode'7='F
202   \lccode'4='C \lccode'8='G
203   \lccode'5='D \lccode'9='H
204   \lowercase{\def\temp{#1}}%
205   \expandafter\egroup\expandafter\def\csname autograph\temp\endcsname{%
206     \vskip-2\baselineskip%
207     \setlength{\iso@down}{#2*#3/100-#2-2\baselineskip}
208     \setlength{\iso@outdent}{-#2*#5/100}
209     \setlength{\iso@signpos}{#2*(#4-#3)/100}
210     \hspace*{\iso@outdent}\raisebox{\iso@down}[0pt][0pt]{\includegraphics[height=#2]{#6}}%
211     \[\[\baselineskip]%
212     \closing\closingcomma\[\iso@signpos]\[\-2\baselineskip]%
213     \signature%
214   }
215 }

```

7.2.1 Logo

The logo, by default, consists of a large company name on top a rule, with a contact person's name (probably your own name) and address hanging under the rule. If the osf-txfonts package is used, oldstyle figures are disabled here.

```

\logo
216 \newcommand{\zippedcity}{\ifcityzip\city\ \prezip\ \zip\else\prezip\ \zip\ \city\fi}
217 \newcommand{\logo}{%
218   { \parskip=0pt\parindent=0pt
219     \begin{textblock}{140}[0,1](35,20)%
220       \textsf{\LARGE\company}\[\[-1.7ex] % large company name
221       \rule{\hsize}{.3pt} % on top a rule
222     \end{textblock}
223   }
224   \Tbox{140}{22}{35}{\noindent
225     \footnotesize\sffamily
226     \ifx\undefined\logoaddress%
227       \ifx\undefined\tbfigures\else\tbfigures\fi
228       \ifx\who\empty\else\who\\\fi
229       \ifx\street\empty\else\street\\\fi
230       \zippedcity
231       \ifforeign\\\country\fi
232     \else\logoaddress\fi
233   }
234 }

\returnaddress
235 \def\returnaddress{%
236   \ifx\undefined\tbfigures\else\tbfigures\fi % when using osf-txfonts... just for me
237   \company\\
238   \street\\
239   \zippedcity
240   \ifforeign\\\country\fi
241 }

\setupdocument
242 \newcommand{\setupdocument}[1]{
243   \setkeys{isodoc}{#1}

```

```

244 \iffooter\else\geometry{bottom=25mm}\fi
245 }

\@isomakedate isomakedate sets the \year, \month and \day counters for \@iso@date. The argument can
have one of three forms:
1. yyyyymmdd
2. yyyy-mm-dd
3. today i.e. the string "today"
The resulting \date format depends on the language option, i.e., the month is in that lan-
guage, and the formatting is according to the usage in the language. The value for dd may be
00; in that case the day will not be reported. Some examples, assuming language=en-GB:

2013-01-01 1st January 2013
2013-01-00 January 2013
20130101 1st January 2013
20130100 January 2013
today 3rd June 2013 assuming that's today's date

246 \newcount\@isoyear \@isoyear=\year \year=0
247 \newcount\@isomonth \@isomonth=\month
248 \newcount\@isoday \@isoday=\day
249 \def\@isomakedate#1{
250 \StrSubstitute[2]{#1}{-}{}\[\@iso@arg]
251 \IfStrEq{\@iso@arg}{today}{
252 \year=\@isoyear
253 \month=\@isomonth
254 \day=\@isoday
255 }{\IfInteger{\@iso@arg}{\ClassError{isodoc}{
256 Illegal date: not yyyyymmdd | yyyy-mm-dd | today}{\fi}
257 \StrLeft{\@iso@arg}{4}[\@iso]\year=\@iso
258 \StrRight{\@iso@arg}{2}[\@iso]\day=\@iso
259 \StrMid{\@iso@arg}{5}{6}[\@iso]\month=\@iso
260 }
261 \ifnum\month > 12 \ClassError{isodoc}{Illegal date: month>12}{\fi}
262 \ifnum\day > 31 \ClassError{isodoc}{Illegal date: day>31}{\fi}
263 }

\date \date displays the date. Its value is that of forcedate if that option was used; otherwise it
is undefined, unless the date option was used.

264 \def\date{%
265 \ifx\forcedate\empty%
266 \ifnum\year=0\Undefined{date}\else\isodate\fi
267 \else\forcedate\fi
268 }

\accountdata Print a table with banking information. Show all data as far as defined/not empty:

269 \def\accountdata{
270 \textbf{\accountdatatext:}\
271 \begin{tabular}{@{}rl@{}}
272 \ifx\term\undefined\else
273 \termtext: & \term \daystext\
274 \fi
275 \ifx\accountto\undefined\else
276 \accountnotext: & \accountno\
277 \fi
278 \ifx\iban\undefined\else
279 \ibantext: & \scshape \iban\
280 \fi
281 \ifx\bic\undefined\else
282 \bictext: & \scshape \bic\
283 \fi
284 \ifx\accountname\undefined\else
285 \accountnametext: & \accountname{}\
286 \fi
287 \ifx\routingno\undefined\else
288 \routingnotext: & \routingno{}\
289 \fi

```

```

290     \ifx\ourref\empty\else
291         \referencetext: & \ourref\\
292     \fi
293     \ifx\vatno\undefined\else
294         \vatnotext: & \vatno\\
295     \fi
296 \end{tabular}
297 }

```

The \showkeys command is useful for debugging. It prints a table showing the current values of most keys.

```

298 \def\showkeys{%
299     \begin{tabular}{rl}
300         acceptaccount & \acceptaccount\NN
301         acceptaddress & \acceptaddress\NN
302         acceptcents & \acceptcents\NN
303         acceptdesc & \acceptdesc\NN
304         acceptdescription & \acceptdescription\NN
305         accepteuros & \accepteuros\NN
306         acceptreference & \acceptreference\NN
307         accountname & \ifx\accountname\undefined (undefined, so not shown)%
308                     \else\accountname\fi\NN
309         accountno & \ifx\accountno\undefined (undefined, so not shown)%
310                     \else\accountno\fi\NN
311         areacode & \areacode\NN
312         bic & \ifx\bic\undefined (undefined, so not shown)%
313             \else\bic\fi\NN
314         cellphone & \cellphone\NN
315         chamber & \chamber\NN
316         city & \city\NN
317         closing & \closing\NN
318         company & \company\NN
319         country & \country\NN
320         countrycode & \countrycode\NN
321         currency & \currency\NN
322         date & \date\NN
323         email & \email\NN
324         enclosures & \begin{minipage}[t]{\hsize}
325                     \mbox{}\enclosures\[-1.5ex]
326                     \end{minipage}\NN
327         copyto & \begin{minipage}[t]{\hsize}
328                     \mbox{}\copyto \[-1.5ex]
329                     \end{minipage}\NN
330         fax & \fax\NN
331         iban & \ifx\iban\undefined (undefined, so not shown)
332             \else\iban\fi\NN
333         opening & \opening\NN
334         ourref & \ourref\NN
335         phone & \phone\NN
336         returnaddress & \begin{minipage}[t]{\hsize}
337                     \mbox{}\returnaddress\[-1.5ex]
338                     \end{minipage}\NN
339         routingno & \ifx\routingno\undefined (undefined, so not shown)
340                     \else\routingno\fi\NN
341         signature & \signature\NN
342         street & \street\NN
343         subject & \subject\NN
344         toaddress & \begin{minipage}[t]{\hsize}
345                     \mbox{}\toaddress\[-1.5ex]
346                     \end{minipage}\NN
347         toname & \toname\NN
348         vatno & \ifx\vatno\undefined (undefined, so not shown)
349             \else\vatno\fi\NN
350         website & \website\NN
351         who & \who\NN
352         yourletter & \yourletter\NN
353         yourref & \yourref\NN

```

```

354             zip & \zip\NN
355 \end{tabular}
356 }
357 \AtEndOfClass{%
358 \usepackage{hyperref}
359 }
360 % \DescribeMacro{\itable}
361 % |\itable| inserts an invoice table; arg1 should be the rows of the table.
362 % \begin{macrocode}
363 \def\isodoc@bara{\raisebox{-1ex}{\rule{0pt}{3ex}}}
364 \def\isodoc@barb{\rule{0pt}{2.7ex}}
365 \def\isodoc@barc{\rule{0pt}{1ex}}
366 \def\itable#1{\arrayrulewidth0.05em%
367 \ifvertical
368 \begin{tabularx}{\hsize}{@{}X|r@{}}%
369 \sffamily\descriptiontext &
370 \sffamily \amounttext (\currency)\isodoc@bara\\ \hline \\ [-5.6ex]
371 \isodoc@barb #1%
372 \end{tabularx}
373 \else
374 \begin{tabularx}{\hsize}{@{}Xr@{}}%
375 \sffamily\descriptiontext &
376 \sffamily \amounttext (\currency)\isodoc@bara\\ \hline \\ [-5.6ex]
377 \isodoc@barb #1%
378 \end{tabularx}
379 \fi
380 }
381 % \DescribeMacro{\iitem}
382 % |\iitem| inserts an invoice item in the |\itable|.
383 % It inserts |\arg1 & % arg2|:
384 % \begin{macrocode}
385 \def\iitem#1#2{\#1&\#2\ignorespaces}
386 % \DescribeMacro{\itotal}
387 % \itotal inserts an invoice total in the \itable.
388 % The optional argument replaces \totaltext.
389 \newcommand{\itotal}[2][\totaltext]{%
390 \isodoc@barc\\ \cline{2-2} \#1 & \textbf{\#2} \isodoc@barb
391 }

```

The counter `\lettercount` is used to construct a label on the last page of each letter/invoice of this document; it will be set to `LastPageOfn`, where n is the letter number: 1, 2, 3, ... This allows for page headings saying “Page n of m .” This label is automatically added at the end of each letter.

```

390 \newcounter{lettercount}\setcounter{lettercount}{0}
\invoice \invoice prints an invoice. The first argument is optional, and may contain the same
key=value statement as \setupdocument. This is useful if the document contains more
than one invoice for different addressees.

```

The second argument creates a two-column table with headings “Description” and “Amount (EuroSymbol)”. The two columns are separated with a vertical rule; its construction is somewhat complicated, as the `booktabs`/`ctable` packages are in use that don’t provide decent vertical separators. The `\barsep` macro extends these separators vertically.

```

391 \newif\ifclosing\closingtrue
392 \newcount\footcount
393 \newcommand{\invoice}[2][\footcount]{%
394 \closingfalse
395 \letter#1,
396 opening={\bfseries\scshape\Large\invoice\text},
397 openingcomma={},
398 closing={},
399 signature={}}{\Tbox{35}{127}{140}{\ignorespaces#2}}
400 }

```

```

\letter \letter prints a letter... The code is enclosed in an extra pair of braces, in order to keep
option changes local

```

```

401 \newcommand{\letter}[2][\footcount]{%

```

```

402 \clearpage{\pagestyle{empty}\cleardoublepage}
403 \setcounter{section}{0}
404 \setkeys{isodoc}{#1}
405 \def\isodoc@lead{\ifforeign+\areacode-\else\phoneprefix\fi}
406 \ifx\isodoc@phone\empty\else\def\phone{\isodoc@lead\isodoc@phone}\fi
407 \ifx\isodoc@cellphone\empty\else\def\cellphone{\isodoc@lead\isodoc@cellphone}\fi
408 \ifx\isodoc@fax\empty\else\def\fax{\isodoc@lead\isodoc@fax}\fi

```

By now, a language should have been chosen; if not, issue a warning and set the language to the default: -n-GB

```

409 \ifx\yourlettertext\undefined%
410   \ClassWarning{isodoc}{You did not use the language option; using the default: en-GB}
411   \isodoc@enGB%
412 \fi
413 \ifnum\value{lettercount}=0%
414   \hypersetup{pdftitle={letter to \toname\ dated \today},
415               pdfsubject={\subject},
416               pdfauthor={\who},
417               pdfcreator={LaTeX with isodoc class},
418   }
419 \fi
420 \addtocounter{lettercount}{1}
421 \setcounter{page}{1}
422 \setcounter{footnote}{0}
423 \fancyhf{}
424 \if@twoside
425   \fancyhead[LE,RO]{\color{headingcolor}%
426   \pagetext\ \thepage\ \oftext{}
427   \begin{NoHyper}\pageref{LastPageOf\thelettercount}\end{NoHyper}}
428   \fancyhead[RE,LO]{\color{headingcolor}%
429   \totext: \toname\ (\date)}
430 \else
431   \fancyhead[L]{\color{headingcolor}%
432   \totext: \toname\ (\date)}
433   \fancyhead[R]{\color{headingcolor}%
434   \pagetext\ \thepage\ \oftext{}
435   \begin{NoHyper}\pageref{LastPageOf\thelettercount}\end{NoHyper}}
436 \fi
437 \logo

```

addresscenter is the center, vertically, of the to-address block: xaddress should be 1 or 3 for left- and right address windows

```

438 { \parskip=0pt\parindent=0pt
439   \begin{textblock}{\addresswidth}[0,.5](\xaddress,addresscenter)%
440     \ifreturn
441       {\def\{\unskip\enspace\textbullet\enspace\ignorespaces}%
442       \sffamily\bfseries\scriptsize\returnaddress
443       }\[-.8\baselineskip]
444       \rule{\hsize}{.2pt}\}
445     \fi
446     \toname\\\toaddress
447   \end{textblock}
448 }
449 \subjectpos=\headerpos
450 \textskip=\headerpos\advance\textskip-12
451 \ifx\subject\empty\advance\textskip-10\else\advance\subjectpos10\fi
452 \openingpos=\subjectpos
453 \ifheader
454   \openingpos=\subjectpos\advance\openingpos12
455   \Tbox{35}{\headerpos}{35}{\noindent
456   {\@hft\yourlettertext}\}
457   \yourletter
458 }
459 \Tbox{70}{\headerpos}{35}{\noindent
460 {\@hft\yourref}\}
461 \raggedright\yourref
462 }

```

```

463 \Tbox{105}{\headerpos}{35}{\noindent
464 {\@hft\ourreftext}\\
465 \raggedright\ourref
466 }
467 \Tbox{140}{\headerpos}{35}{\noindent
468 {\@hft\datetext}\\
469 \date
470 }
471 \ifx\subject\empty\else%
472 \Tbox{35}{\subjectpos}{140}{\noindent
473 \begin{tabularx}{\hspace}{@{}1>\raggedright}X@{}}
474 \@hft\subjecttext&\subject
475 \end{tabularx}
476 }
477 \fi
478 \else
479 \advance\textskip-12
480 \fi

```

Create the footfields that occur in \footorder, starting at the left;

```

481 \footcount=35
482 \iffooter
483 \ForEachX{;}{%
484 \setbox0=\hbox{\csname\thislevelitem\endcsname}
485 \ifdim\wd0=0pt\else
486 \Tbox{\footcount}{\footerpos}{35}{\noindent
487 {\@hft\csname\thislevelitem text\endcsname}\\
488 \csname\thislevelitem\endcsname
489 }
490 \fi
491 \advance\footcount35
492 }{\footorder}
493 \fi
494 { \parskip=0pt\parindent=0pt
495 \begin{textblock*}{3mm}(\xfold,\yfold)%
496 {\color{markercolor}\rule{\hspace}{.2pt}}
497 \end{textblock*}
498 }
499 \ifx\undefined\accepttype\else\accept\fi
500 \noindent\Tbox{35}{\openingpos}{140}{\opening\openingcomma}
501 \vspace{\textskip mm}
502 \thispagestyle{empty}
503 \noindent\ignorespaces#2
504 {\parindent=0pt\parskip=\baselineskip
505 \ifclosing
506 \ifcase\autographversion
507 \par\closing\closingcomma\\signature % 0: closing on the next line
508 \or\par\closing\closingcomma\\[\closingskip]\signature % 1: whiteskip
509 \or\autographA
510 \or\autographB
511 \or\autographC
512 \or\autographD
513 \or\autographE
514 \or\autographF
515 \or\autographG
516 \or\autographH
517 \else
518 \par\Undefined{autograph: \autographversion}\\
519 \fi
520 \fi
521 \ifx\enclosures\empty\else
522 \vfill
523 \setbox1=\vbox{\enclosures}%
524 \textbf{\ifdim\ht1>\baselineskip\enclosurestext\else\enclosuretext\fi}%
525 \\enclosures
526 \fi
527 \ifx\copyto\empty\else

```

```

528     \ifx\enclosures\empty\vfill\else\\[2ex]\fi
529     \setbox1=\vbox{\copyto}%
530     \textbf{\copytotext}%
531     \\ \copyto
532     \fi
533 }
534 \label{LastPageOf\thelettercount}
535 }}

```

7.3 Internal Macros

The accept is produced from \Tbox and \Cbox commands only, using the textpos package:

\Cbox \Cbox{x}{y}{width}{text} places text in a box of \tests1{width} mm, centered around (x,y) in mm:

```

536 \def\Cbox#1#2#3#4{%
537 { \parskip=0pt\parindent=0pt
538   \begin{textblock}{#3}[.5,.5](#1,#2)%
539     \begin{center}
540       #4
541     \end{center}
542   \end{textblock}
543 }
544 }

```

\Tbox \Tbox{x}{y}{width}{text} places text in a box of \tests1{width} mm, with the upper left corner at (x,y) in mm:

```

545 \long\def\Tbox#1#2#3#4{%
546 { \parskip0pt\parindent=0pt
547   \begin{textblock}{#3}(#1,#2)%
548     \begin{minipage}[t]{\hspace}
549       \noindent#4
550     \end{minipage}
551   \end{textblock}
552 }
553 }

```

\accept This macro will have a parameter if other accept forms will have to be programmed:

```

554 \def\accept{
555   \Tbox{\xacceptdescription}
556     {\yacceptdescription}
557     {\wacceptdescription}
558     {\acceptdescription}
559   \Tbox{\xacceptdesc}
560     {\yacceptdesc}
561     {\wacceptdesc}
562     {\acceptdesc}
563   \Tbox{\xacceptaddress}
564     {\yacceptaddress}
565     {\wacceptaddress}
566     {\ifx\acceptaddress\empty\toname\\\toaddress\else\acceptaddress\fi}
567   \Cbox{\xacceptreference}
568     {\yacceptreference}
569     {\wacceptreference}
570     {\ocrb\acceptreference}
571   \Tbox{\xacceptref}
572     {\yacceptref}
573     {\wacceptref}
574     {\baselineskip=\acceptreferenceskip\ocrb\acceptreference}
575   \Cbox{\xaccepteuros}
576     {\yaccepteuros}
577     {\waccepteuros}
578     {\ocrb\accepteuros}
579   \Cbox{\xacceptaccount}
580     {\yacceptaccount}
581     {\wacceptaccount}
582     {\ocrb\acceptaccount}

```

```

583 \Cbox{\xacceptcents}
584     {\yacceptcents}
585     {\wacceptcents}
586     {\ocrb\acceptcents}
587 \Cbox{\xaccepteur}
588     {\yaccepteur}
589     {\waccepteur}
590     {\ocrb\accepteuross}
591 \Cbox{\xacceptct}
592     {\yacceptct}
593     {\wacceptct}
594     {\ocrb\acceptcents}
595 }

```

\isodoc@xxYY

```

596 \input{isodoc-ca-ES.ldf}
597 \input{isodoc-de-DE.ldf}
598 \input{isodoc-en-GB.ldf}
599 \input{isodoc-en-US.ldf}
600 \input{isodoc-es-ES.ldf}
601 \input{isodoc-fr-FR.ldf}
602 \input{isodoc-it-IT.ldf}
603 \input{isodoc-nb-NO.ldf}
604 \input{isodoc-nl-BE.ldf}
605 \input{isodoc-nl-NL.ldf}
606 \input{isodoc-sr-RS.ldf}

```

Change History

v0.01	General: Initial version 1	stays 2 cols
v0.03	General: several errors in documentation corrected 1	- changes suggested by Fabrice Niessen (thanks)
v0.03b	General: - non-zero parskip generated whitespace in standard textblocks - several accept positions fixed, - added option shift, - whitespace problems solved, - added option currency, - added option cityzip - without documentation 1	- added header/noheader options - added bodyshift option - date format can be yyyy-mm-dd or a literal today - added forcedate option to enter anything for date - added foldleft and foldright options, default stays right - headingcolor, if defined, colors fancy headings - headcolor, if defined, colors headings in header and footer - foldmarkcolor, if defined, colors foldmark 1
v0.04	General: - options shift, currency, cityzip added - norwegian translations added (thanks Sveinung Heggen) 1	v0.09
v0.05	General: - text misplacement in subjectless letters - corrected - norwegian translations corrected . . . 1	General: - subject text uses full textwidth; use newlines if needed - introducing isodocsymbols.sty - new option closingcomma - subject uses full textwidth - using foreach package for footfields - removed some unwanted whitespace 1
v0.06	General: - moved all documentation files in subdirectory doc, - because files appeared to be wrongly placed on the - TeX Collection DVD - Some minor corrections 1	v0.10
v0.07	General: - using eurosym package instead of marvosym - using frenchb package instead of french - added addresswidth option, default	General: - bug: missing prefixes for phone numbers - added option footorder, setting the order of footer fields 1
		v0.11
		General: - added color and tabularx to required packages - removed hypersetup (author/version info); didn't work 1

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\@hft	18, 456, 460, 464, 468, 474, 487	
\@iso	37, 257–259	
\@iso@carg	250, 251, 255, 257–259	
\@isodate	266	
\@isoday	248, 254	
\@isomakedate	119, 249	
\@isomonth	247, 253	
\@isoyear	246, 252	
\@tempcnta	186	
\@xshift	19, 22	
\@xyshift	19, 21	
\@yshift	19, 22	
_	216, 273, 414, 426, 429, 432, 434	
A		
\accept	499, 554	
\acceptaccount	155, 156, 300, 582	
\acceptaddress	157, 158, 301, 566	
\acceptcents	159, 160, 302, 586, 594	
\acceptdesc	163, 164, 303, 562	
\acceptdescription ...	161, 162, 304, 558	
\accepteuros	165, 166, 305, 578, 590	
\acceptreference	167, 168, 306, 570, 574	
\acceptreferenceskip ..	179, 574	
\accepttype	152, 499	
\accountdata	269	
\accountdatatext	270	
\accountname	144, 284, 285, 307, 308	
\accountnametext	285	
\accountno	142, 276, 309, 310	
\accountnotext	276	
\accountto	275	
\addresscenter .	60, 61, 439	
\addresswidth ..	62, 63, 439	
\addtolength	15	
\amounttext	370, 376	
\areacode .	88, 89, 311, 405	
\arrayrulewidth	366	
\AtEndOfClass	357	
\autograph	191	
\autographA	509	
\autographB	510	
\autographC	511	
\autographD	512	
\autographE	513	
\autographF	514	
\autographG	515	
\autographH	516	
\autographversion	133, 134, 506, 518	
B		
\bic .	146, 281, 282, 312, 313	
\bictext	282	
C		
\cellphone ...	97, 314, 407	
\chamber	148, 149, 315	
\city	48, 49, 216, 316	
\cityzipfalse	31	
\cityziptrue	30	
\ClassError	187, 194, 197, 255, 261, 262	
\ClassWarning ..	32–36, 410	
\cleardoublepage	402	
\cline	388	
\closing	127, 128, 212, 317, 507, 508	
\closingcomma	129, 130, 212, 507, 508	
\closingfalse	394	
\closingskip .	131, 132, 508	
\closingtrue	391	
\color	18, 425, 428, 431, 433, 496	
\company	41, 42, 220, 237, 318	
\copyto	139, 140, 328, 527, 529, 531	
\copytotext	530	
\country	50, 51, 231, 240, 319	
\countrycode	52, 53, 56, 320	
\currency	150, 151, 321, 370, 376	
D		
\date	264, 322, 429, 432, 469	
\datetext	468	
\day	248, 254, 258, 262	
\daystext	273	
\descriptiontext .	369, 375	
E		
\email	103, 104, 323	
\enclosures ..	137, 138, 325, 521, 523, 525, 528	
\enclosurestext	524	
\enclosuretext	524	
\EuroSymbol	151	
F		
\fax	100, 330, 408	
\footcount	392, 481, 486, 491	
\footerfalse	86, 87	
\footerpos	79, 486	
\footertrue	85	
\footorder	83, 84, 492	
\forcedate ..	120, 265, 267	
\ForEachX	483	
\foreignfalse	29	
\foreigntrue	28	
G		
\gdef	68, 69	
H		
\hbox	484	
\headerfalse	76	
\headerpos .	77, 78, 449, 450, 455, 459, 463, 467	
\headertrue	74, 75	
\headheight	15	
\hline	370, 376	
\hypersetup	414	
I		
\iban	145, 278, 279, 331, 332	
\ibantext	279	
\ifcityzip	31, 216	
\ifclosing	391, 505	
\iffooter	86, 244, 482	
\ifforeign	29, 56, 231, 240, 405	
\ifheader	75, 453	
\IfInteger	255	
\ifreturn	71, 440	
\IfStrEq	251	
\ifvertical	26, 367	
\iitem	381, 382, 385	
\input	596–606	
\invoice	393	
\invoicetext	396	
\iso@closingpos	184	
\iso@down ...	183, 207, 210	
\iso@isNum	185, 192	
\iso@outdent .	181, 208, 210	
\iso@signpos .	182, 209, 212	
\isodoc@bara .	363, 370, 376	
\isodoc@barb	364, 371, 377, 388	
\isodoc@barc	365, 388	
\isodoc@cellphone	95, 96, 407	
\isodoc@deDE	34	
\isodoc@enGB	33, 411	
\isodoc@enUS	35	
\isodoc@fax ...	98, 99, 408	
\isodoc@frFR	36	
\isodoc@lead	405–408	
\isodoc@nlNL	32	
\isodoc@phone ..	90, 91, 406	
\itable .	360, 361, 366, 382	
\itotal	386, 387	
L		
\label	534	

\lccode	200–203	\StrMid	259	\wacceptdescription ..	
\letter	395, 401	\StrRight	258	169, 557
\logo	217, 437	\StrSubstitute	37, 250	\waccepteur	174, 589
\logoaddress ..	43, 226, 232	\subject	121, 122,	\waccepteuos	171, 577
\lowercase	204	343, 415, 451, 471, 474		\wacceptref	170, 573
M		\subjectpos	80,	\wacceptreference	173, 569
\mbox ...	325, 328, 337, 345	449, 451, 452, 454, 472		\wd	187, 485
\month ..	247, 253, 259, 261	\subjecttext	474	\website	101, 102, 350
N		T		\who ...	44, 45, 228, 351, 416
\newcounter	390	\temp	204, 205	X	
\newfont	153	\term	141, 272, 273	\xacceptaccount ..	176, 579
O		\termtext	273	\xacceptaddress ..	178, 563
\ocrb	153, 570, 574,	\textblockorigin	22	\xacceptcents	172, 583
578, 582, 586, 590, 594		\textsf	220	\xacceptct	175, 591
\oftext	426, 434	\textskip		\xacceptdesc	177, 559
\opening 123, 124, 333, 500		82, 450, 451, 479, 501		\xacceptdescription ..	
\openingcomma 125, 126, 500		\thelettercount	169, 555
\openingpos 81, 452, 454, 500		427, 435, 534	\xaccepteur	174, 587
\ourref	113,	\thislevelitem 484, 487, 488		\xaccepteuos	171, 575
114, 290, 291, 334, 465		\toaddress	65, 66,	\xacceptref	170, 571
\ourreftext	464	68, 69, 345, 446, 566		\xacceptreference	173, 567
P		\today	414	\xaddress	57–59, 439
\pagetext	426, 434	\toname	64, 68, 347,	\xfold	107–109, 495
\phone	92, 335, 406	414, 429, 432, 446, 566		\xproc	66, 68
\phoneprefix ...	93, 94, 405	\totaltext	387	Y	
\prezip	56, 216	\totext	429, 432	\yacceptaccount ..	176, 580
\processto	64, 66	U		\yacceptaddress ..	178, 564
R		\Undefined	17,	\yacceptcents	172, 584
\referencetext	291	42, 45, 47, 49, 51,		\yacceptct	175, 592
\returnaddress		53, 55, 65, 89, 92,		\yacceptdesc	177, 560
....	73, 235, 337, 442	97, 100, 102, 104,		\yacceptdescription ..	
\returnfalse	71, 72	124, 128, 136, 149,		169, 556
\returntrue	70	160, 166, 168, 266, 518		\yaccepteur	174, 588
\routingno		V		\yaccepteuos	171, 576
143, 287, 288, 339, 340		\value	413	\yacceptref	170, 572
\routingnotext	288	\vatno 147, 293, 294, 348, 349		\yacceptreference	173, 568
S		\vatnotext	294	\year ...	246, 252, 257, 266
\sbox	186	\verticalfalse	25	\yfold 105, 106, 110–112, 495	
\setlength	207–209	\verticaltrue	24–26	\yourletter	
\setupdocument	242	\vskip	206	... 117, 118, 352, 457	
\showkeys	298	W		\yourlettertext ..	409, 456
\signature	135,	\wacceptaccount ..	176, 581	\yourref 115, 116, 353, 461	
136, 213, 341, 507, 508		\wacceptaddress ..	178, 565	\yourreftext	460
\street 46, 47, 229, 238, 342		\wacceptcents	172, 585	\yproc	67, 69
\StrLeft	257	\wacceptct	175, 593	Z	
		\wacceptdesc	177, 561	\z@	186, 187
				\zip	54, 55, 216, 354
				\zippedcity .	216, 230, 239